



KWC

KWC HOMEBOX

Convenience
meets
aesthetics

Strikingly simple and versatile

KWC HOMEBOX – the universal concealed solution for any bathroom size.

The KWC HOMEBOX features a wide variety of products and allows for extremely simple installation. Products in this line can be combined in a variety of ways, from a simple shower situation to a complete thermostat system with two outlets in different surface colours. The various functions can be easily selected at the touch of a button. KWC HOMEBOX, the innovative solution for the stylishly minimal design bathroom.





KWC HOMEBOX

Modularity for versatility in application

Universally suitable

With its modular design and specific functions, the KWC HOMEBOX is the ideal universal concealed system for any application.

Modular concept

Lever or thermostatic mixer, single or dual outlet: the modularity of the components enables the system to fit seamlessly into the KWC product lines.

Thermostatic mixer

Dual outlet

Overhead and handheld shower head*



Single outlet

Handheld shower head



Lever mixer

Dual outlet

Overhead and handheld shower head*



Single outlet

Handheld shower head



Module 1

Lever mixer

**Module 2**Switch overhead and
handheld shower head***Module 3**Hose outlet
Handheld shower head**Module 1**Thermostat
with temperature
setting**Module 2**On/Off
Overhead shower or
bath spout**Module 3**On/Off and
flow setting
Handheld shower head**Module 1**Thermostat
with temperature
setting**Module 2**On/Off and
flow setting
Handheld shower head

*bath spout and handheld shower head also possible

KWC HOMEBOX

Intuitive operation

Safe use

Safety as standard. The hose outlet is secured against backflow in all variants in accordance with DIN EN 1717. A shutoff prevents possible scalding on all thermostatic mixers and the water temperature remains constantly below the critical value, even if the cold water fails.



Comfortable operation

As simple as a light switch. The water starts flowing when you press the Choice control button and stops when you press the button again. The water flow can also be precisely regulated on all thermostats using the control button.

Press


Save water and energy when lathering up. The water flow can be stopped immediately at the touch of a button and restarted just as quickly.



Turn

Water flow under control. Turn the Choice button to precisely regulate the flow rate. The hose outlet is directly integrated in all versions.





Precisely positioned

It couldn't be simpler: the baseplate for the boxes can be easily attached to the surface with millimetre precision.

Supplied pre-configured

Ready to use – the modules of the set are already connected to each other. Guaranteed easy alignment and installation thanks to pre-assembled boxes.



Installation made easy

Our detailed installation videos show you how to successfully install our products in simple-to-follow steps.

KWC HOMEBOX

Easy installation and assembly

Quickly attached


Super simple – screws and the sealing membrane secure the escutcheon holders firmly to the box and prevent splash water from penetrating.

Smartly mounted

Time-saving – the escutcheons are attached to the escutcheon holder without a single screw.

Compact dimensions

Effortless – the minimal projection of the operating units leaves plenty of space for installing the fittings, for example in narrow shower cubicles.



KWC HOMEBOX

Twice the Talent

Masonry

The baseplate is ideal for shell construction. It allows the box to be perfectly positioned and easily aligned.*



Drywall construction

Retaining rings on the boxes mean that the KWC HOMEBOX can also be easily and securely attached to partition walls.*


*Optionally available: mounting rails for even easier installation (see overview of product range)

Safety

If the hot and cold water inlets are installed incorrectly, the water flow can simply be reversed. If the box does not sit in the wall at the required installation depth, this can be quickly corrected with the extension sets.

Convenience

Quick, easy and safe installation guaranteed. All units for concealed installation are fitted with shut-off valves as standard.



“Premium-quality design, easy installation and a perfect user experience”

Markus Roser, Head of Product Management & Product Development in an interview discussing the idea and concept behind the new KWC HOMEBOX.

What’s the basic idea behind the design of the KWC HOMEBOX?

With the KWC HOMEBOX, we want to offer people a new kind of shower system that gives them a perfect user experience. Our Choice control button makes controlling the water as easy as flicking a light switch. The Choice control button is convenient and easy to use and can also save valuable resources, as it allows you to briefly pause the flow of water while washing your body. Water starts flowing at your ideal preset temperature when you press the button and stops when you press it again. You can also control the amount of water flowing to the handheld shower head by simply

twisting the button.

When designing the concept, we not only took user needs into account; we also paid great attention to the needs of architects, planners and installers, which we meet by offering a wide range of options, a modular design and easy installation.

For which use cases was the KWC HOMEBOX designed?


The KWC HOMEBOX is the ideal universal concealed system for any application – its modular design and specific features mean it can be combined in a variety of ways, depending on needs and design requirements. Be it a lever mixer or a thermostat, or

a single or dual outlet, the system fits seamlessly into all KWC product lines and harmonises perfectly with the three colour options – chromeline, matt black and brushed steel – to create a designer bathroom with a personal touch. The minimalist design with slim proportions fits in seamlessly with a wide range of styles.

What makes the KWC HOMEBOX really stand out for you?

For me, the aspect that really sets the KWC HOMEBOX apart is the unique combination of premium-quality design, easy installation and a perfect user experience.

The minimalist escutcheons ensure





a clean, tidy look and also have the advantage of greatly minimising the build-up of dirt and limescale, making the product particularly easy to keep clean. The modularity of the system and its perfect integration into the existing product lines lead to a vast array of design options.

In addition, the modules of the base units are already connected together and pre-assembled ready for installation, meaning that any adjustments or alignments required during installation are absolute child's play. In response to customer feedback, we have integrated features to further boost efficiency and safety – such as

shut-off valves, a reversing function and protective caps – as standard. Extension adapters and escutcheons, as well as an additional mounting rail, are available as options, making this an ingenious package that can be added to as and when needed. In this way, we can ensure fast, easy and safe installation for all types of walls and masonry. For us, it's essential to provide solutions for any problems an installer may encounter.

A few final words ...

I'm really thrilled about the KWC HOMEBOX. Our new concealed system enables us to meet the various needs of our target customers in the


best possible way. We offer a modern and minimalist design with modular versatility coupled with easy, safe and time-saving installation – and a highly intuitive and comfortable shower experience.

Many thanks to all those who helped bring this project to fruition.

Thank you for the interview, Markus.

Shower lever mixer – single outlet

Installation example



Components

- ① Trim kit KWC BEVO **21.424.550.000**
- ② Escutcheons **Z.538.897.000**
- ③ Sliding wall bar FIT **K.26.99.02.000**
- ④ Hand shower CHOICE-H **26.000.125.000**
- ⑤ Shower hose **26.001.003.000**

Concealed unit




39.006.251.931

* in accordance with pipe diameter determined

** measurements in mm/as per plans

Tub lever mixer – dual outlet

Installation example



Components

- ① Trim kit KWC BEVO
20.424.550.000
- ② Shower bracket **26.000.620.000**
- ③ Hand shower FIT-X slim
26.000.103.000
- ④ Shower hose
26.001.003.000

Concealed unit




 **39.006.261.931**

* in accordance with pipe diameter determined

** measurements in mm/as per plans

Shower lever mixer – dual outlet

Installation example



Components

- ① Trim kit KWC BEVO **20.424.550.000**
- ② Shower bracket **26.000.620.000**
- ③ Hand shower FIT-X slim **26.000.103.000**
- ④ Shower hose **26.001.003.000**
- ⑤ Shower arm **26.000.813.000**
- ⑥ Shower head PIATTO-X Q **26.000.205.000**

Concealed unit




 **39.006.261.931**

* in accordance with pipe diameter determined

** measurements in mm/as per plans

Shower thermostat – single outlet

Installation example



Components

- ① Trim kit KWC HOMEBOX
Thermostat single outlet Choice **21.004.853.000**
- ② Escutcheons **Z.538.897.000**
- ③ Sliding wall bar FIT **K.26.99.02.000**
- ④ Hand shower CHOICE-H **26.000.125.000**
- ⑤ Shower hose **26.001.003.000**

Concealed unit




39.006.271.931

* in accordance with pipe diameter determined

** measurements in mm/as per plans

Tub thermostat – dual outlet

Installation example



Components

- ① Trim kit KWC HOMEBOX
Thermostat dual outlet Choice
20.004.853.000
- ② Shower bracket **26.000.620.000**
- ③ Hand shower FIT-X slim
26.000.103.000
- ④ Shower hose **26.001.003.000**

Concealed unit




 **39.006.261.931**

* in accordance with pipe diameter determined

** measurements in mm/as per plans

Shower thermostat – dual outlet

Installation example



Components

- ① Trim kit KWC HOMEBOX
Thermostat dual outlet Choice **20.004.853.000**
- ② Shower bracket **26.000.620.000**
- ③ Hand shower FIT-X slim **26.000.103.000**
- ④ Shower hose **26.001.003.000**
- ⑤ Shower arm **26.000.813.000**
- ⑥ Shower head PIATTO-X Q **26.000.205.000**

Concealed unit



 **39.006.261.931**


* in accordance with pipe diameter determined

** measurements in mm/as per plans




Trim kit
single outlet
KWC ACTIVO

21.404.550.000, chromeline



Trim kit
single outlet
KWC AVA 2.0

21.464.550.000, chromeline



Trim kit
single outlet
KWC BEVO

21.424.550.000, chromeline*



Trim kit
single outlet
KWC DOMO 6.0

21.664.550.000, chromeline



Trim kit
single outlet
KWC ELLA

21.384.550.000, chromeline



Trim kit
single outlet
KWC FIT

21.544.550.000, chromeline**



Trim kit
single outlet
KWC MONTA

21.414.550.000, chromeline




Trim kit
single outlet
KWC WAMAS 2.0

21.474.550.000, chromeline


*Expected availability of matt black and brushed steel: from Q4 2024

**Expected availability of matt black: from Q4 2024




Trim kit dual outlet Choice
KWC ACTIVO

20.404.550.000, chromeline




Trim kit dual outlet Choice
KWC AVA 2.0

20.464.550.000, chromeline




Trim kit dual outlet Choice
KWC BEVO

20.424.550.000, chromeline*




Trim kit dual outlet Choice
KWC DOMO 6.0

20.664.550.000, chromeline



Trim kit dual outlet Choice
KWC ELLA

20.384.550.000, chromeline




Trim kit dual outlet Choice
KWC FIT

20.544.550.000, chromeline**



Trim kit dual outlet Choice
KWC MONTA


20.414.550.000, chromeline



Trim kit dual outlet Choice
KWC WAMAS 2.0


20.474.550.000, chromeline






Trim kit
Thermostat single outlet Choice

- 21.004.853.000**, chromeline
- 21.004.853.176**, matt black
- 21.004.853.177**, brushed steel



Trim kit
Thermostat dual outlet Choice

- 20.004.853.000**, chromeline
- 20.004.853.176**, matt black
- 20.004.853.177**, brushed steel




Trim kit
shower holder

- 26.000.624.000**, chromeline
- 26.000.624.176**, matt black
- 26.000.624.177**, brushed steel



Sliding wall bar
L1100

- K.26.99.02.000**, chromeline
- K.26.99.02.176**, matt black
- K.26.99.02.177**, brushed steel



Escutcheon
for sliding wall bar

- Z.538.897.000**, chromeline
- Z.538.897.176**, matt black
- Z.538.897.177**, brushed steel



Hand shower
KWC CHOICE-H

- 26.000.126.000**, chromeline
- 26.000.126.176**, matt black
- 26.000.126.177**, brushed steel



Hand shower
KWC-X slim

- 26.000.103.000**, chromeline
- 26.000.103.176**, matt black
- 26.000.103.700**, brushed steel



Shower hose
L 1500

- 26.001.003.000**, chromeline
- 26.001.033.176**, matt black
- 26.001.033.177**, brushed steel







Base unit 1/2" KWC HOMEBOX, single outlet – with shutoff valve

39.006.251.931




Base unit 1/2" KWC HOMEBOX, single outlet thermostat – with shutoff valve

39.006.271.931



Base unit 1/2" KWC HOMEBOX, dual outlet – with shutoff valve

39.006.261.931




Extension set
KWC HOMEBOX

Z.538.806, Single outlet levermixer


Z.538.808, Single outlet thermostatic mixer

Z.538.807, Dual outlet thermostatic and lever mixer



Mounting rail
KWC HOMEBOX

Z.538.900



Excutcheon extension
KWC HOMEBOX

Z.639.489.000, chromeline

Z.639.489.176, matt black

Z.639.489.177, brushed steel









The ultimate
choice