



KWC

KWC Home




KWC
in the kitchen




Introduction

KWC Technologies	2
------------------	---

Our fitting lines

KWC AVA 2.0	8
KWC BEVO E	14
KWC BISTRO E	 20
KWC DOMO 6.0	26
KWC DOMO E	32
KWC ERA	38
KWC EVE	42
KWC FIT	 48
KWC INOX	54
KWC ISLA	60
KWC KIO	62
KWC LIVELLO	68
KWC LUNA E	72
KWC ONO	76
KWC SIN	84
KWC PILLAR TAP	90
KWC SUNO	92
KWC VITA PRO 2.0	 98
KWC WAMAS 2.0	102
KWC ZOE	106
KWC ZOE touch light PRO	112
KWC Soap dispenser	120

Hygiene




LEDShine

Visible precision and a bright, friendly workspace: LEDShine does more than just contribute to a special working atmosphere - this innovative feature makes it easier to see the tiniest specks of dirt and makes it possible to use the faucet without turning on a light.




HealthProtect

Setter hygiene and unchanged water quality: HealthProtect highlights the strict standards we set ourselves to ensure that our faucets do not affect the taste and smell of your water – that is why we use high-quality materials (metals, plastics) that are ideally suited for contact with water.



TripleClean

Three water streams for more flexibility: TripleClean allows you to change between a normal stream for filling glasses, a soft spray for gently cleaning food, and a power spray for prerinsing and removing dirt from dishes.



SprayClean


Actively helps with the removal of limescale: With a special faceplate and fastening mechanism, SprayClean prevents limescale buildup. Any deposits are sprayed away automatically when the water is running. The special fastening mechanism helps with more stubborn lime deposits: simply turn, clean, and the job is done.

Sustainability



EcoProtect

For economical water consumption and responsible use of resources: EcoProtect represents our commitment to promoting a sustainable lifestyle.




CoolFix

Intelligent and efficient resource usage: With CoolFix, when the lever is in the center – the most common position – the water runs cold. Only when the lever is turned to the left,




GlacierFinish

Robust surfaces and high-quality craftsmanship: GlacierFinish is equipped with durable surfaces that are exceptionally robust and feature an attractive polished shine that you can enjoy for years to come.



PrecisionMove

Exceptional elegance and precision: PrecisionMove allows for seamless movements and exceptional convenience thanks to our consistent use of top-quality materials and



QualityControl


Exceptional quality from A to Z: with KWC QualityControl, we guarantee the utmost product reliability. KWC performs and continuously monitors all stages of the process: development, production, installation and even the manufacture of the required tools.

Safety



TouchProtect

Safe to use: An insulated hot water guidance system with a "double skin" principle means the body of the faucet or the pull-out spray can become warm but never hot. In this way, TouchProtect intelligently prevents scalding.




SkinProtect

Effective protection against scalding: With SkinProtect, your faucet will only supply you with water hotter than 38 °C when you press the safety button on the temperature controller. If the cold water is shut off, the faucet automatically shuts off the hot water immediately.



SwivelStop

Stop the faucet from moving too far and prevent water damage: SwivelStop allows the swivel range to be adjusted from 360° to 120° or 150° in just a few steps, ensuring that the water only flows into the sink.



QuickConnect

Easy installation and more safety in the kitchen: with QuickConnect, there is no need to screw on the spray head hose, which means there is also no risk of damaging the seal and causing water damage.



CertificationGuarantee


Trust is good, certifications are better: our KWC CertificationGuarantee ensures that we have all of our products professionally inspected and certified across all markets.



SprayLock


Adjust the flow: With Spraylock, you can keep the jet of water from your faucet flowing exactly how you want, even when the water is shut off. When you turn the water back on, the water flows in the same way again.

Enthusiasm




DesignSpray

Elegant design and functionality: With DesignSpray, the pull-out spray is seamlessly integrated and recessed. It can be easily extended with just one finger.




UniqueLever

Innovative lever designs that allow for natural and intuitive use: Uniquelever features innovative KWC design – elegance and precision that you can not only see, but also feel every day.




QuickInstallation

Hassle-free positioning and fastening of the threaded connection for quick and easy installation: the locking nut is screwed into place by hand to hold the faucet in position using QuickInstallation, before it is fixed in place via the two locking screws.




IntelligentControl

Intuitive control meets modern convenience: IntelligentControl reacts to a tap of your finger, can be programmed based on your personal habits and requirements, and has a light ring that indicates the current water temperature.




PowerClean

The spray you want at the touch of a button: PowerClean makes it exceedingly easy to switch the flow of water on the spray head – from a standard spray to a fine needle spray.




TwistProtect

Effortless work a round the sink: TwistProtect prevents the hose from twisting or knotting.



OptimalSpace

Practical yet elegant ergonomic design: OptimalSpace features long, tall spouts that provide ample space for washing and or working.



EasyLock

A spray that is easy to use and automatically snaps into place: Easylock is equipped with special positioning pins that ensure that the pull-out spray is always in the right position.



HighFlex

Increased freedom of movement and ease of use: HighFlex makes it possible to move the spring hose in every direction while ensuring it remains reliably stable when not in use.



At home in the kitchen

With a passion for detail, our kitchen taps ensure perfect harmony in the kitchen – for all the senses. The design is always elegant, the functionality ingenious – the water quality always in the foreground, filtered or unfiltered. Safe and intuitive operation, including touch-free with just a wave of your hand. The precise workmanship ensures long-lasting enjoyment of the tap. The materials and stainless steel are of the highest quality, facilitating easy cleaning and maximising hygiene. Premium quality for ambitious amateur cooks and the whole family.

KWC AVA 2.0

Design and function in playful harmony


Unique flat lever, elegant soft-cube design, ultrasleek silhouette. The new KWC AVA 2.0 makes a clear statement that whoever lives here knows exactly what they want from life – and from their bathroom: stylish confidence, simple elegance, excellent quality, and functionality so perfect that you barely even notice it.



One special feature of the KWC AVA 2.0 is the three types of streams. The normal stream is perfect for quickly filling the sink or pots. The strong PowerSpray stream makes washing up easier. SoftSpray is suitable for the gentle washing of fruit, vegetables and salad.








Kitchen ● ● ●
 Lever mixer
 – Swivel spout 150°

KWC-No.
10.461.022.000FL
 chromeline, A 210
10.461.022.176FL
 matt black, A 210
10.461.022.177FL
 brushed steel, A 210


Flow rate 11 l/min (3 bar)



Kitchen ● ● ●
 Lever mixer
 – Swivel spout 150°
 – SwivelStop
 – OptimalSpace

KWC-No.
10.461.012.000FL
 chromeline, A 220
10.461.012.176FL
 matt black, A 220
10.461.012.177FL
 brushed steel, A 220


Flow rate 12 l/min (3 bar)



Kitchen ● ● ●
 Lever mixer
 – Pull-out spray
 – SprayClean
 – TripleClean
 – TouchProtect
 – Hose guide,
 swivelling 120°

KWC-No.
10.461.032.000FL
 chromeline, A 220
10.461.032.176FL
 matt black, A 220
10.461.032.177FL
 brushed steel, A 220

Flow rate
 normal spray 8 l/min (3 bar)
 Flow rate
 needle spray 9 l/min (3 bar)



Kitchen ● ● ●
 Lever mixer
 – Pull-out spray
 – SprayClean
 – TripleClean
 – TouchProtect
 – EasyLock
 – Hose guide,
 swivelling 150°

KWC-No.
10.461.002.000FL
 chromeline, A 225
10.461.002.176FL
 matt black, A 225
10.461.002.177FL
 brushed steel, A 225

Flow rate
 normal spray 8 l/min (3 bar)
 Flow rate
 needle spray 9 l/min (3 bar)







KWC BEVO E

Lightness in form and function

The slim silhouette of the KWC BEVO E captivates. The transitions are strikingly elegant. As a design element, the asymmetrical spout catches the eye and brings exclusivity to the kitchen. There are practical reasons for using stainless steel, as it guarantees comprehensive hygiene, durability and a long service life. The double-shell design of the spray models ensures a high level of safety. No matter how hot the water flowing through the tap, the outer shell of the KWC BEVO E remains cool – reliable protection against scalding.



Ample space for washing and working. Thanks to OptimalSpace, the KWC BEVO E ensures that there's plenty of space for washing, filling and working in the kitchen.










Kitchen

Lever mixer
– Swivel spout 150°

KWC-No.

10.531.022.751FL
industrial black, A215
10.531.022.700FL
stainless steel, A215

Flow rate 12 l/min (3 bar)



Kitchen

Lever mixer
– Pull-out spout up to 700 mm
– Swivel spout 120°
– EasyLock
– TouchProtect

KWC-No.

10.531.112.751FL,
industrial black, A220
10.531.112.700FL,
stainless steel, A220

Flow rate
normal spray 8 l/min (3 bar)
Flow rate
needle spray 7 l/min (3 bar)



Kitchen

Lever mixer
– Pull-out spray up to 700mm
– SprayClean
– PowerClean
– Swivel spout 120°
– EasyLock

KWC-No.

10.531.032.751FL,
industrial black, A220
10.531.032.700FL,
stainless steel, A220

Flow rate
normal spray 8 l/min (3 bar)
Flow rate
needle spray 7 l/min (3 bar)



Kitchen

Lever mixer
– Swivel spout 150°
– OptimalSpace

KWC-No.

10.531.012.751FL
industrial black, A220
10.531.012.700FL
stainless steel, A220

Flow rate 8 l/min (3 bar)



Kitchen

Lever mixer
– Pull-out spout up to 600 mm
– Swivel spout 150°
– EasyLock
– OptimalSpace
– TouchProtect

KWC-No.

10.531.103.751FL
industrial black, A225
10.531.103.700FL
stainless steel, A225

Flow rate 8 l/min (3 bar)



Kitchen

Lever mixer
– Pull-out spray up to 600mm
– SprayClean
– PowerClean
– Swivel spout 150°
– EasyLock
– OptimalSpace

KWC-No.

10.531.003.700FL,
industrial black, A230
10.531.003.751FL,
stainless steel, A230

Flow rate
normal spray 8 l/min (3 bar)
Flow rate
needle spray 7 l/min (3 bar)





KWC BISTRO E

NEW

The best of both worlds

Suitable for every situation. Genuine professional quality made of stainless steel for ambitious chefs with high standards. Design-orientated with the highflex hose or high performance with the dish spray head, the KWC BISTRO E adapts effortlessly to all requirements. Also available as a swivel version with or without sensors for the tea or coffee kitchen. Efficiency and technology for performance, easy cleaning and convenient operation. Maximum hygiene standards and convenience in amateur kitchens and small catering establishments.



Less soiling, less consumption and therefore lower costs. These are just some of the many advantages of the hybrid version of the KWC BISTRO E, which can be operated hands-free. This is hygienic and standard in washrooms in commercial and public buildings. As an electronic sensor tap, this makes it ideal for tea and coffee kitchens. As a hybrid, it combines the advantages of a sensor tap and a lever mixer. Whether with a simple hand gesture or conventionally with the lever – the pure stainless steel guarantees hygiene at all times.









Kitchen

- Lever mixer
- Swivel spout 360°
- OptimalSpace
- QuickInstallation

KWC-No.

10.581.013.700FL
stainless steel, A 250




Kitchen

- Lever mixer
- Swivel spout 360°
- TouchProtect
- SprayClean
- PowerClean
- EasyLock
- OptimalSpace
- QuickInstallation
- HighFlex

KWC-No.

10.581.433.700FL
stainless steel, A 235



Kitchen

- Lever mixer
- Swivel spout
- TouchProtect
- SprayLock
- PowerClean
- OptimalSpace
- QuickInstallation

KWC-No.

10.581.144.700FL
stainless steel, A 295



Kitchen

- Hybrid lever mixer
- Swivel spout fixe, extensible to 50°/120°/360°
- QuickInstallation
- OptimalSpace
- Battery

KWC-No.

10.581.102.700FL
stainless steel, A 220, battery
10.581.112.700FL
stainless steel, A 220, mains
10.581.122.700FL
stainless steel, A 220, battery, low-pressure version
10.581.132.700FL
stainless steel, A 220, mains, low-pressure version



KWC DOMO | 6.0

Switzerland's faucet of choice: quality redefined

Few design objects have managed to remain modern for around 40 years, but the KWC DOMO, probably Switzerland's biggest selling faucet, has done just that. And that's not where its story ends. This millionfold proven faucet has undergone careful design developments and been combined with cuttingedge technology to create the latest generation with an even wider range of products: KWC DOMO | 6.0.

A contemporary look with the technology of the future: the lever mixer can be provided as a top-operated or side-operated version, and all versions can be fitted with a swivel spout or a pull-out spray.










Normal spray: the normal stream is perfect for quickly filling the sink and pots.



SoftSpray: the soft stream is suitable for the gentle washing of food.



PowerSpray: the power stream is suitable for pre-rinsing and removing dirt.



Kitchen

- Lever mixer
 – Swivel spout 150°
 – OptimalSpace
 – QuickInstallation

KWC-No.

10.661.023.000FL
 chromeline, A 225

Flow rate 12 l/min (3 bar)



Kitchen

- Lever mixer
 – TouchProtect
 – Pull-out spray
 – SprayClean
 – TripleClean
 – QuickConnect
 – Hose guide, swivelling 120°
 – EasyLock
 – OptimalSpace
 – QuickInstallation

KWC-No.

10.661.033.000FL
 chromeline, A 225

Flow rate
 normal spray 9 l/min (3 bar)
 Flow rate
 needle spray 9 l/min (3 bar)



Kitchen

- Lever mixer
 – Swivel spout 150°
 – OptimalSpace

KWC-No.

10.661.523.000FL
 chromeline, A 225

Flow rate 12 l/min (3 bar)



Kitchen

- Lever mixer
 – TouchProtect
 – Pull-out spray
 – SprayClean
 – TripleClean
 – Hose guide, swivelling 120°
 – EasyLock
 – OptimalSpace

KWC-No.

10.661.533.000FL, chromeline,
 A 235, flexible connection hoses

Flow rate
 normal spray 8 l/min (3 bar)
 Flow rate
 needle spray 9 l/min (3 bar)



Kitchen

- Lever mixer
 – Etachable for installation below
 windows – detached 55 mm
 – Swivel spout 150°
 – OptimalSpace

KWC-No.

10.661.043.000FL
 chromeline, A 225

Flow rate 12 l/min (3 bar)




Kitchen

- Lever mixer
 – Etachable for installation below
 windows – detached 55 mm
 – TouchProtect
 – Pull-out spray
 – SprayClean
 – TripleClean
 – Hose guide, swivelling 120°
 – EasyLock
 – OptimalSpace

KWC-No.

10.661.053.000FL
 chromeline, A 225

Flow rate
 normal spray 9 l/min (3 bar)
 Flow rate
 needle spray 9 l/min (3 bar)

**Kitchen**


Lever mixer low pressure

- Swivel spout 150°
- OptimalSpace
- QuickInstallation

**KWC-No.****10.665.023.000FL**

chromeline, A 225

Flow rate 6 l/min (3 bar)

**Kitchen**

Lever mixer

- SwivelStop – swivel spout 150°, extensible to 360°
- OptimalSpace
- QuickInstallation

KWC-No.**10.661.013.000FL**

chromeline, A 225

Flow rate 12 l/min (3 bar)

**Kitchen**

Lever mixer low pressure

- TouchProtect
- Pull-out spray
- SprayClean
- TripleClean
- Hose guide, swivelling 120°
- EasyLock
- OptimalSpace
- QuickInstallation

**KWC-No.****10.665.033.000FL**

chromeline, A 225

Flow rate
normal spray 7 l/min (3 bar)
Flow rate
needle spray 6 l/min (3 bar)

**Kitchen**


Lever mixer

- TouchProtect
- Pull-out spray
- TripleClean
- QuickConnect
- Hose guide, swivelling 150°
- EasyLock
- OptimalSpace
- QuickInstallation

KWC-No.**10.661.003.000FL**

chromeline, A 215

Flow rate
normal spray 9 l/min (3 bar)
Flow rate
needle spray 9 l/min (3 bar)

**Kitchen**

Lever mixer trim kit

- EcoProtect
- Swivel spout 90°
- OptimalSpace


KWC-No.**11.662.202.000**

chromeline, AD 153 +/- 8 mm, A 175

11.662.203.000

chromeline, AD 153 +/- 8 mm, A 225

Flow rate 4 l/min (3 bar)

**Kitchen**

Lever mixer trim kit

- EcoProtect
- Fixed spout
- OptimalSpace

KWC-No.**11.662.033.000**

chromeline, A 175

11.662.034.000

chromeline, A 225

Flow rate 5 l/min (3 bar)

KWC DOMO E

The ultimate tool for your kitchen

If true refinement and strict hygiene are priorities for you, the stainless-steel version is the perfect choice. The stainless-steel surface is durable, scratch- and abrasion-resistant, easy to clean, and above all, anti-bacterial. This is the ideal solution for the most intensively used work area in the kitchen: the sink/food preparation hub.



Strikes the perfect balance between special and refined: Thanks to its sophisticated aesthetics, the KWC DOMO E will be an elegant fit for your kitchen – whatever your style.



**Kitchen**

Lever mixer

- Swivel spout 150°
- OptimalSpace
- QuickInstallation

KWC-No.**10.701.023.700FL**

stainless steel, A 225

Flow rate 12 l/min (3 bar)

**Kitchen**

Lever mixer

- TouchProtect
- Pull-out spray
 - SprayClean
 - TripleClean
- QuickConnect
- Hose guide, swivelling 120°
- EasyLock
- OptimalSpace
- QuickInstallation

KWC-No.**10.701.033.700FL**

stainless steel, A 225

Flow rate

normal spray 9 l/min (3 bar)

Flow rate

needle spray 9 l/min (3 bar)

**Kitchen**

Lever mixer

- SwivelStop – swivel spout 150°, extensible to 360°
- OptimalSpace
- QuickInstallation

KWC-No.**10.701.013.700FL**

stainless steel, A 225

Flow rate 12 l/min (3 bar)

**Kitchen**

Lever mixer

- TouchProtect
- Pull-out spray
 - TripleClean
- QuickConnect
- Hose guide, swivelling 150°
- EasyLock
- OptimalSpace
- QuickInstallation

KWC-No.**10.701.003.700FL**

stainless steel, A 215

Flow rate

normal spray 9 l/min (3 bar)

Flow rate

needle spray 9 l/min (3 bar)







KWC ERA

Effortless use and sculptural perfection

A highly minimalist tap fitting, its appearance is modelled on a jet of water shooting upwards and falling back down by gravitational force, in a parabolic arc. When the water is running, the arch of stainless steel and water is made whole, forming a complete, highly aesthetic sculpture. Reduced to the essentials with maximum performance made of real stainless steel.



**Kitchen**

- Lever mixer
 – 2-hole
 – Swivel spout 150°,
 extensible to 360°
 – OptimalSpace

KWC-No.

10.392.023.700FL
 stainless steel, A 225

Flow rate 8 l/min (3 bar)

**Kitchen**

- Lever mixer
 – 2-hole
 – Swivel spout 150°,
 extensible to 360°
 – OptimalSpace

KWC-No.

10.392.024.700FL
 stainless steel, A 230

Flow rate 8 l/min (3 bar)

**Kitchen**

- Lever mixer
 – 2-hole
 – Swivel spout 150°,
 extensible to 360°
 – OptimalSpace

KWC-No.

10.392.022.700FL
 stainless steel, A 220

Flow rate 8 l/min (3 bar)


**Kitchen**

- Lever mixer
 – 2-hole
 – TouchProtect
 – Pull-out spray 360° turn –
 magnetic tight-fit holder
 – SprayClean
 – PowerClean
 – Hose guide, swivelling 150°,
 can be extended to 360°
 – OptimalSpace

KWC-No.

10.392.323.700FL
 stainless steel, A 230

Flow rate
 normal spray 7 l/min (3 bar)
 Flow rate
 needle spray 7 l/min (3 bar)

**Soap dispenser****KWC-No.**

Z.538.038.700
 stainless steel



KWC EVE

Beauty in profile

The design and function-oriented kitchen tap, with its perfect form and timeless aesthetic, is made for use in stylistically clean kitchen environments where functionality and visual appeal should go hand in hand. This is reflected in its overall appearance and its materials: KWC EVE is available in a high-grade chrome-plated version, with a pure white or deep black surface, or entirely in stainless steel. The highlight is a seamlessly integrated pull-out spout with LED technology.



To create the right atmosphere in your kitchen, you can activate the LEDShine play of light whenever the mood strikes you. The light ring is integrated into the pull-out aerator, making it seem invisible, while the LEDs have a very long lifespan but use very little electricity.







The pull-out with flexible hose is seamlessly integrated into the spout.





- Kitchen**
- Lever mixer
 - TouchProtect
 - Pull-out aerator covered
 - Hose guide, swivelling 320°
 - EasyLock

KWC-No.
10.111.102.000FL
 chromeline, A 190
10.111.102.700FL
 stainless steel, A 190

Flow rate 11 l/min (3 bar)



- Kitchen**
- Lever mixer
 - TouchProtect
 - Pull-out aerator covered
 - Hose guide, swivelling 320°
 - EasyLock
 - OptimalSpace

KWC-No.
10.111.103.000FL
 chromeline, A 225
10.111.103.700FL
 stainless steel, A 225

Flow rate 11 l/min (3 bar)



- Kitchen**
- Lever mixer with LEDShine
 - TouchProtect
 - Pull-out aerator covered
 - Hose guide, swivelling 320°
 - EasyLock

KWC-No.
10.121.102.000FL
 chromeline, A 190, mains receiver
10.121.102.700FL
 stainless steel, A 190, mains receiver

Flow rate 10 l/min (3 bar)



- Kitchen**
- Lever mixer with LEDShine
 - TouchProtect
 - Pull-out aerator covered
 - Hose guide, swivelling 320°
 - EasyLock
 - OptimalSpace

KWC-No.
10.121.103.000FL
 chromeline, A 225, mains receiver
10.121.103.700FL
 stainless steel, A 225, mains receiver

Flow rate 10 l/min (3 bar)



- Kitchen**
- Lever mixer with LEDShine
 - TouchProtect
 - Pull-out aerator covered
 - Hose guide, swivelling 320°
 - EasyLock
 - OptimalSpace

KWC-No.
10.121.103.150FL
 glacier white, A 225, mains receiver

Flow rate 10 l/min (3 bar)



- Kitchen**
- Lever mixer with LEDShine
 - TouchProtect
 - Pull-out aerator covered
 - Hose guide, swivelling 320°
 - EasyLock
 - OptimalSpace

KWC-No.
10.121.103.151FL
 black chrome-plated, A 225, mains receiver

Flow rate 10 l/min (3 bar)



Soap dispenser

KWC-No.
Z.536.063.000
chromeline



Soap dispenser

KWC-No.
Z.536.063.700
stainless steel



Soap dispenser

KWC-No.
Z.536.063.151
black chrom-plated



Soap dispenser

KWC-No.
Z.536.063.150
glacier white

KWC FIT**NEW**

The essence of function and design

The KWC FIT is characterised by its cylindrical basic shape. Its design follows its function. This makes the seamless monobody particularly easy to clean – perfect for hygiene and great for its service life. Maximum user-friendliness and variable models. As flexible as it is, it fits into any kitchen, regardless of the available space.



Switching between the two jet types is as simple as the overall handling. The spray head sits perfectly in your hand. The diverter fits in visually with the design.







**Kitchen**

Lever mixer

- Swivel spout 150°
- QuickInstallation

KWC-No.**10.541.022.000FL**

chromeline, A 215

10.541.022.176FL

matt black, A 215

Flow rate 8.1 l/min (3 bar)

**Kitchen**

Lever mixer

- Pull-out spray up to 500 mm
- Swivel spout 120°
- QuickConnect
- EasyLock
- QuickInstallation
- TouchProtect

KWC-No.**10.541.032.000FL**

chromeline, A 205

10.541.032.176FL

matt black, A 205

Flow rate 7.3 l/min (3 bar)

**Kitchen**

Lever mixer

- Swivel spout 150°
- OptimalSpace
- QuickInstallation

KWC-No.**10.541.012.000FL**

chromeline, A 210

10.541.012.176FL

matt black, A 210

Flow rate 8.1 l/min (3 bar)

**Kitchen**

Lever mixer

- Pull-out spray up to 500 mm
- Swivel spout 120°
- QuickConnect
- EasyLock
- OptimalSpace
- QuickInstallation

KWC-No.**10.541.002.000FL**

chromeline, A 210

10.541.002.176FL

matt black, A 210

Flow rate 7.3 l/min (3 bar)





KWC INOX

Steeled for action

KWC INOX knows that you appreciate good performance. Made of stainless steel, this faucet is as immaculate and robust as its material suggests and is sure to set plenty of new standards in your kitchen – whether it is in terms of material quality, precision or elegance.








This pull-out aerator has both brains and style. It can extend up to 70 cm if you pull it out, but otherwise retires politely and seamlessly back into the spout.



Adjust the flow: With SprayLock, you can keep the jet of water from your faucet flowing exactly how you want, even when the water is shut off. When you turn the water back on, the water flows in the same way again.


**Kitchen**

Lever mixer
– Swivel spout 160°

KWC-No.

10.271.023.700FL
stainless steel, A 225

Flow rate 12 l/min (3 bar)


**Kitchen**

Lever mixer
– TouchProtect
– Pull-out spout
– Hose guide, swivelling 130°
– EasyLock

KWC-No.

10.271.103.700FL
stainless steel, A 230

Flow rate 12 l/min (3 bar)

**Kitchen**

Lever mixer
– TouchProtect
– Pull-out spout
– Hose guide, swivelling 130°
– EasyLock
– OptimalSpace

KWC-No.

10.271.303.700FL
stainless steel, A 230

Flow rate 12 l/min (3 bar)


**Kitchen**

Lever mixer
– TouchProtect
– Pull-out spray
– SprayLock
– PowerClean
– Hose guide, swivelling 130°
– EasyLock

KWC-No.

10.271.033.700FL
stainless steel A 235
10.271.033.736FL
stainless steel/matte black, A 235

Flow rate
normal spray 12 l/min (3 bar)
Flow rate
needle spray 13 l/min (3 bar)

Soap dispenser**KWC-Nr.**

Z.536.062.700
stainless steel



KWC ISLA

All-round perfection

For some people, design is the number one concern. For others, it might be convenience or quality. Then there are those who simply want everything to be just right. It is for these people that we have designed KWC ISLA: elegant, functional and precise, right down to the smallest detail.


**Kitchen**

Lever mixer
– Swivel spout 160°

KWC-No.

10.371.023.000FL
chromeline, A 225

Flow rate 14 l/min (3 bar)

**Kitchen**

Lever mixer
– TouchProtect
– Pull-out spray
– SprayClean
– PowerClean
– TwistProtect
– Hose guide, swivelling 95°
– EasyLock

KWC-No.

10.371.033.000FL
chromeline, A 225

Flow rate
normal spray 9 l/min (3 bar)
Flow rate
needle spray 9 l/min (3 bar)



KWC KIO

Digital statement in the kitchen



With its cone-shaped body and sculptural design, this faucet brings both futuristic aesthetics and intelligent functionality into the kitchen. KWC KIO offers the option of using digital or manual controls and a handheld shower head – minimalistic design with maximum functionality and perfect ergonomics.



Water temperature and volume can be pre-programmed in three different settings.



The changeover from the hygienic, bacteria-free, clear laminar jet to the even, smooth and yet powerful sieve jet is made by pressing the ergonomically arranged changeover button.







**Kitchen**

with LED-technology

- TouchProtect
- Microprocessor and drive technology
- Pull-out spray
 - SprayClean
 - Neoperl® Perlator® laminar
 - PowerClean
- Hose guide, swivelling 150°, can be extended to 360°
- EasyLock
- OptimalSpace
- QuickInstallation

KWC-No.**10.481.232.000FL**

chromeline, A 220, mains receiver

10.481.232.176FL

matt black, A 220, mains receiver

10.481.232.127FL

decor steel, A 220, mains receiver

**Kitchen**

Lever mixer

- Swivel spout 150°, extensible to 360°
- Neoperl® Caché® laminar
- OptimalSpace
- QuickInstallation

KWC-No.**10.481.012.000FL**

chromeline, A 220

10.481.012.176FL


matt black, A 220

10.481.012.127FL

decor steel, A 220



Flow rate 11 l/min (3 bar)

**Kitchen**

Lever mixer

- TouchProtect
- Pull-out spray
 - SprayClean
 - Neoperl® Perlator® laminar
 - PowerClean
- Hose guide, swivelling 150°, can be extended to 360°
- EasyLock
- OptimalSpace
- QuickInstallation

KWC-No.**10.481.002.000FL,**

chromeline, A 220

10.481.002.176FL

matt black, A 220

10.481.002.127FL

decor steel, A 220

**Soap dispenser****KWC-No.****Z.536.586.000**

chromeline

Z.536.586.176

matt black

Z.536.586.127

decor steel



Flow rate

normal spray 10 l/min (3 bar)

Flow rate

needle spray 8.5 l/min (3 bar)



KWC LIVELLO

Clean-cut and crosswise

KWC LIVELLO will keep your kitchen standards on the straight and narrow, even if the body of the lever mixer runs off in a crosswise direction. With this high-quality kitchen faucet, you are sending out a clear message that you feel right at home with top quality.



This pull-out aerator has both brains and style. It can extend up to 60 cm if you pull it out, but otherwise retires politely and seamlessly back into the spout.





**Kitchen**

Lever mixer

- Swivel spout 125°, extensible to 360°
- OptimalSpace

KWC-No.**10.231.013.000FL**

chromeline, A 225

10.231.013.700FL

stainless steel, A 225

Flow rate 11 l/min (3 bar)

**Kitchen**

Lever mixer

- TouchProtect
- Pull-out spout
- Hose guide, swivelling 360°
- EasyLock
- OptimalSpace

KWC-No.**10.231.103.000FL**

chromeline, A 225

10.231.103.700FL

stainless steel, A 225

Flow rate 11 l/min (3 bar)

**Kitchen**


Lever mixer

- Etachable for installation below windows – detached 55 mm
- Swivel spout 125°, extensible to 360°
- OptimalSpace

KWC-No.**10.231.043.700FL**

stainless steel, A 225

Flow rate 12 l/min (3 bar)

**Kitchen**

Lever mixer

- Etachable for installation below windows – detached 55 mm
- TouchProtect
- Pull-out spout
- Hose guide, swivelling 360°
- EasyLock
- OptimalSpace

KWC-No.**10.231.053.700FL**

stainless steel, A 225

Flow rate 11 l/min (3 bar)



KWC LUNA E

A real all-rounder

KWC LUNA E cuts a fine figure across the board with its simple design and intelligent functionality. But that's not all: with its comprehensive range, there is sure to be an elegant solution for every application in stock. Even front window solutions and soap dispensers can be included. KWC LUNA E – the popular all-round carefree faucet.



KWC LUNA E is available in three different looks: chrome or stainless steel for those who like a touch of exclusive shine, and matt black for those who prefer to make a subtler statement.



**Kitchen**

Lever mixer
– Swivel spout 160°

KWC-No.

10.441.023.000FL, chrome,
A 225, flexible connection hoses
10.441.023.176FL, matt black,
A 225, flexible connection hoses

Flow rate 11 l/min (3 bar)

**Kitchen**

Lever mixer
– Swivel spout 160°

KWC-No.

10.441.023.700FL, stainless steel,
A 235, flexible connection hoses

Flow rate 11 l/min (3 bar)

**Kitchen**

Lever mixer
– Pull-out spray up to 600 mm
– SprayClean
– PowerClean
– TouchProtect
– Hose guide, swivelling 130°
– EasyLock

KWC-No.

10.441.033.000FL, chrome,
A 220, flexible connection hoses
10.441.033.176FL, matt black,
A 220, flexible connection hoses

Flow rate
normal spray 10 l/min (3 bar)
Flow rate
needle spray 10 l/min (3 bar)

**Kitchen**

Lever mixer
– Pull-out spout up to 600 mm
– TouchProtect
– Hose guide, swivelling 130°
– EasyLock

KWC-No.

10.441.113.700FL, stainless steel,
A 220, flexible connection hoses

Flow rate
normal spray 9 l/min (3 bar)
Flow rate
needle spray 9 l/min (3 bar)

**Kitchen**

Lever mixer
– Etachable for installation below
windows – detached 55 mm
– Swivel spout 160°

KWC-No.

10.441.043.000FL, chrome,
A 225, flexible connection hoses

Flow rate 12 l/min (3 bar)

**Kitchen**

Lever mixer
– Etachable for installation below
windows – detached 55 mm
– Pull-out spray up to 600 mm
– SprayClean
– PowerClean
– TouchProtect
– Hose guide, swivelling 130°
– EasyLock

KWC-No.

10.441.053.000FL, chrome,
A 220, flexible connection hoses

Flow rate
normal spray 10 l/min (3 bar)
Flow rate
needle spray 9 l/min (3 bar)

**Kitchen**

Lever mixer

- Swivel spout 360°
- QuickInstallation

KWC-No.

10.445.023.000FL, chrome,
A 225, flexible connection hoses

Flow rate 6 l/min (3 bar)

**Kitchen**

Lever mixer

- Pull-out spray up to 600 mm
- SprayClean
- PowerClean
- TouchProtect
- Hose guide, swivelling 130°
- EasyLock
- QuickInstallation

KWC-No.

10.445.033.000FL, chrome,
A 220, flexible connection hoses

Flow rate

normal spray 7 l/min (3 bar)

Flow rate

needle spray 7 l/min (3 bar)

**Kitchen**

Lever mixer

- Swivel spout 160°
limitable to 150°
- TouchProtect
- SwivelStop
- QuickInstallation

KWC-No.

10.441.013.000FL, chrome,
A 210, flexible connection hoses
10.441.013.176FL, matt black,
A 210, flexible connection hoses

Flow rate 12 l/min (3 bar)

**Kitchen**

Lever mixer

- Pull-out spray
- QuickConnect
- Neoperl® Cascade®
- PowerClean
- SwivelStop
- Hose guide, swivelling 150°,
can be extended to 360°
- QuickInstallation

KWC-No.

10.441.004.000FL, chrome,
A 215, flexible connection hoses
10.441.004.176FL, matt black,
A 215, flexible connection hoses

Flow rate

normal spray 8 l/min (3 bar)

Flow rate

needle spray 8 l/min (3 bar)

**Soap dispenser KWC PRIMO****KWC-No.**

Z.536.109.000
chromeline

**Soap dispenser KWC BASIC****KWC-No.**

Z.538.409.176
matt black

**Soap dispenser KWC BASIC****KWC-No.**

Z.538.409.000
chromeline

**Soap dispenser KWC BASIC****KWC-No.**

Z.538.409.177
brushed steel

KWC ONO

Sheer perfection

From the highflex® technology, the stainless steel medical steel lever to the electronic control. KWC ONO offers a whole tray of architectural delicacies and clever options for the kitchen. Whether stainless steel or chrome-plated, all variants impress with above-average qualities.

The operating lever of the KWC ONO is made of break-proof, corrosion-resistant stainless steel, as used in medical technology. This makes it extremely robust despite its fine appearance.







The innovative HighFlex spring hose opens your kitchen door to the future. The highly curved spring hose, with patented Highflex® technology, can be guided in all directions and automatically returns to its original position. It retains its shape even when not in use, even without the shower head holder.



This pull-out aerator has both brains and style. It can extend up to 70 cm if you pull it out, but otherwise retires politely and seamlessly back into the spout.







Kitchen

Lever mixer
– Swivel spout 270°

KWC-No.

10.151.023.000FL
chromeline, A 225
10.151.023.700FL
stainless steel, A 225

Flow rate 12 l/min (3 bar)



Kitchen

Lever mixer
– TouchProtect
– Pull-out spray
– SprayClean
– PowerClean
– Hose guide, swivelling 105°
– EasyLock

KWC-No.

10.151.033.000FL
chromeline, A 220
10.151.033.700FL
stainless steel, A 220

Flow rate
normal spray 12 l/min (3 bar)
Flow rate
needle spray 13 l/min (3 bar)




Kitchen

Lever mixer
– Detachable for installation below windows – detached 55 mm
– TouchProtect
– Pull-out spray
– SprayClean
– PowerClean
– Hose guide, swivelling 105°
– EasyLock

KWC-No.

10.151.053.700FL
stainless steel, A 220

Flow rate
normal spray 9 l/min (3 bar)
Flow rate
needle spray 9 l/min (3 bar)




Kitchen

Lever mixer
– Detachable for installation below windows – detached 55 mm
– Swivel spout 270°

KWC-No.

10.151.043.700FL
stainless steel, A 225

Flow rate 11 l/min (3 bar)



Kitchen

Lever mixer
– Swivel spout 360°
– OptimalSpace

KWC-No.

10.151.013.000FL
chromeline, A 225

Flow rate 12 l/min (3 bar)

**Kitchen**

- Lever mixer
- TouchProtect
- Auszugauslauf verdeckt
- Hose guide, swivelling 360°
- EasyLock
- OptimalSpace

KWC-No.**10.151.102.000FL**

chromeline, A 200

10.151.102.700FL

stainless steel, A 200

Flow rate 10 l/min (3 bar)

**Kitchen**

- Lever mixer
- HighFlex
- TouchProtect
- EasyLock
- Swivel spout 360°
- Professional spray 360° turn
- SprayClean
- PowerClean
- OptimalSpace

KWC-No.**10.151.423.000FL**

chromeline, A 220

10.151.423.700FL

stainless steel, A 220

Flow rate 11 l/min (3 bar)

Spray: flow rate 3 l/min (3 bar)

**Soap dispenser****KWC-No.****Z.536.060.000**

chromeline

Z.536.060.700

stainless steel

KWC SIN

As elegant as it is talented

KWC SIN not only enables you to fulfil your aesthetic ambitions; it says something about your good sense too. After all, it enhances your kitchen with an extra touch of sensuality and intelligent functionality. This kitchen showpiece is available in four versions.



This extendable spray has certainly mastered the art of creating more efficiency in your kitchen. Equipped with jetclean technology and a Neoperl® Caché® with an automatic diverter reset function, it can be rotated 360° and extended by up to 50 cm.



This covered pull-out aerator shares its secrets with you alone. The pull-out spray with a flexible hose is integrated into the spout with perfect discretion.





The innovative HighFlex spring hose from KWC SIN opens your kitchen door to the future. This curved hose can be moved in any direction, returns to its original position automatically and stays firmly in place when it is not being used. If you place the spring hose in the spray holder with the help of a positioning aid, you can use it as a stable swivel spout that can be rotated 360°.



**Kitchen**

- Lever mixer
 – Swivel spout 160°
 – OptimalSpace

KWC-No.
10.261.012.000FL
 chromeline, A 200

Flow rate 12 l/min (3 bar)

**Kitchen**

- Lever mixer
 – TouchProtect
 – Pull-out aerator covered
 – Hose guide, swivelling 360°
 – EasyLock
 – OptimalSpace

KWC-No.
10.261.102.000FL
 chromeline, A 200

Flow rate 10 l/min (3 bar)

**Kitchen**

- Lever mixer
 – TouchProtect
 – Pull-out spray
 360° turn
 – SprayClean
 – PowerClean
 – Hose guide, swivelling 360°
 – EasyLock
 – OptimalSpace

KWC-No.
10.261.002.000FL
 chromeline, A 200

Flow rate
 normal spray 7 l/min (3 bar)
 Flow rate
 needle spray 6 l/min (3 bar)

**Kitchen**

- Lever mixer
 – HighFlex
 – TouchProtect
 – Spray 360° turn
 – SprayClean
 – PowerClean
 – EasyLock
 – Swivel spout 360°
 – OptimalSpace

KWC-No.
10.261.432.000FL
 chromeline, A 200

Flow rate
 normal spray 8 l/min (3 bar)
 Flow rate
 needle spray 6 l/min (3 bar)

**Soap dispenser**

KWC-No.
Z.536.332.000
 chromeline



KWC PILLAR TAP

When less is more

In restrooms and public spaces, turning water on and off should be hygienic and practical. The KWC pillar tap works for you with just one easy turn.

Not only in its ergonomics and user-friendliness, but also in its use of resources, less is more – five liters per minute, to be precise. The KWC pillar tap is suitable for hot and cold water connections and, due to its sleek design, is an aesthetic fit in any setting.



Vertical shut-off valve
– Fixed spout

KWC-No.
25.001.010.000
chromeline, A 120, G ½"

Flow rate 4 l/min (3 bar)



Vertical shut-off valve
– Fixed spout

KWC-No.
25.001.011.751
industrial black, A 125, G ½"

Flow rate 5 l/min (3 bar)



Vertical shut-off valve
– Fixed spout

KWC-No.
25.001.011.700
stainless steel A 125, G ½"

Flow rate 5 l/min (3 bar)



Safety thermostatic pre-mixer
– Connecting thread ¾"
– Installation on corner valve
– To be ordered separately
(optional or if necessary):
– Connection kit 12.000.610.000

KWC-No.
12.000.600.000



KWC SUNO

Timeless design for kitchen

Visually stunning, highly practical, and very easy to clean – the KWC SUNO excels in all respects, without being ostentatious. With its minimalist design, the faucet discreetly blends into modern kitchens with straight lines, and the high spout allows plenty of space for working. Regardless of which version you select: the KWC SUNO embodies quality and precision craftsmanship.









Stylish design with control at your fingertips: a concealed integrated diverter makes changing the flow of water perfectly simple whilst ensuring maximum hygiene.



Kitchen

Lever mixer
– Swivel spout 160°

KWC-No.

10.171.023.000FL
chromeline, A 225

Flow rate 12 l/min (3 bar)



Kitchen

Lever mixer
– TouchProtect
– Pull-out spray
– SprayClean
– PowerClean
– Hose guide, swivelling 130°
– EasyLock

KWC-No.

10.171.033.000FL
chromeline, A 230

Flow rate
normal spray 11 l/min (3 bar)
Flow rate
needle spray 11 l/min (3 bar)



Kitchen

Lever mixer
– Detachable for installation below windows – detached 55 mm
– Swivel spout 160°

KWC-No.

10.171.043.000FL
chromeline, A 225

Flow rate 12 l/min (3 bar)



Kitchen

Lever mixer
– Detachable for installation below windows – detached 55 mm
– TouchProtect
– Pull-out spray
– SprayClean
– PowerClean
– Hose guide, swivelling 130°
– EasyLock

KWC-No.

10.171.053.000FL
chromeline, A 230

Flow rate
normal spray 11 l/min (3 bar)
Flow rate
needle spray 11 l/min (3 bar)



Kitchen

Lever mixer low-pressure ⚡
– Swivel spout 160°

KWC-No.

10.175.023.000FL
chromeline, A 225

Flow rate 6 l/min (3 bar)




Kitchen

Lever mixer low-pressure ⚡
– TouchProtect
– Pull-out spray
– SprayClean
– PowerClean
– Hose guide, swivelling 130°
– EasyLock

KWC-No.

10.175.033.000FL
chromeline, A 230

Flow rate
normal spray 7 l/min (3 bar)
Flow rate
needle spray 7 l/min (3 bar)

**Kitchen**

- Lever mixer
 – Swivel spout 360°
 – OptimalSpace

KWC-No.**10.171.013.000FL**

chromeline, A 225

Flow rate 10 l/min (3 bar)

**Kitchen**

- Lever mixer
 – TouchProtect
 – Pull-out spray
 – SprayClean
 – PowerClean
 – Hose guide, swivelling 360°
 – EasyLock
 – OptimalSpace

KWC-No.**10.171.003.000FL**

chromeline, A 225

Flow rate

normal spray 10 l/min (3 bar)

Flow rate

needle spray 10 l/min (3 bar)

KWC VITA PRO 2.0

NEW

For specials demands

The KWC VITA PRO 2.0 is perfect for exceptionally high day-to-day demands. The stable bar lever on the tap is extraordinarily robust. It's very comfortable in the hand, and can also be used with the elbow or forearm. The bar lever can be shortened as required and fitted at 180 degrees if desired. The KWC VITA PRO 2.0 is easy to clean, and stands out thanks to its hygienic technologies.



Thanks to its non-slip surface, the extra-long, ergonomic lever is straightforward to operate without excessive force, either by hand, elbow or forearm.

The Neoperl® Perlator® with metal sleeve generates a hygienic laminar stream without drawing in ambient air. It also minimises water consumption and therefore energy consumption.

With its reinforced cartridges, the KWC VITA PRO 2.0 is significantly more torsion-resistant. It also benefits from optimised acoustics.





Kitchen

- Lever mixer
- OptimalSpace
- QuickInstallation
- Swivel spout 150°

KWC-No.

10.521.023.000FL
chromeline, A 225

Flow rate 12 l/min (3 bar)



Kitchen

- Lever mixer
- OptimalSpace
- QuickInstallation
- Swivel spout 150°

KWC-No.

10.521.023.000LLFL
chromeline, A 225, extra-long lever

Flow rate 12 l/min (3 bar)



Kitchen

- Lever mixer
- TouchProtect
- SprayClean
- TripleClean
- QuickConnect
- OptimalSpace
- Hose guide, swivelling 120°

KWC-No.

10.521.033.000FL
chromeline, A 225

Flow rate
normal spray 8 l/min (3 bar)
Flow rate
needle spray 9 l/min (3 bar)



Kitchen

- Lever mixer
- TouchProtect
- SprayClean
- TripleClean
- QuickConnect
- OptimalSpace
- Hose guide, swivelling 120°

KWC-No.

10.521.033.000LLFL
chromeline, A 225, extra-long lever

Flow rate
normal spray 8 l/min (3 bar)
Flow rate
needle spray 9 l/min (3 bar)




KWC WAMAS 2.0

Design and user-friendliness in perfect harmony

The KWC WAMAS 2.0 is slightly taller than its predecessor model. This guarantees easier hands-free operation in the kitchen. The design is unchanged in terms of functionality and operation. The spout and lever are slightly arched in shape. They allow for a smooth water flow, thus keeping the components clean for a long time and ensuring easy cleaning. This makes the tap extremely durable. The tap's long service life is also supported by the material. Both aesthetically and functionally, the KWC WAMAS 2.0 is always at the cutting edge.





Kitchen

Lever mixer


- Swivel spout 160°
- OptimalSpace

KWC-No.

10.471.022.000FL

chromeline, A 220

Flow rate 12 l/min (3 bar)



Kitchen

Lever mixer

- Pull-out spray
 - SprayClean
 - TouchProtect
- OptimalSpace
- QuickConnect
- Hose guide, swivelling 130°

KWC-No.

10.471.032.000FL

chromeline, A 220

Flow rate

normal spray 10 l/min (3 bar)

Flow rate

needle spray 10 l/min (3 bar)



KWC ZOE

An extraordinary sculpture

Regardless of the direction in which the spout is turned, the KWC ZOE remains a masterpiece. A highly functional icon for the exposed kitchen counter with outstanding performance. The integrated LED light aids its work and makes the KWC ZOE an affecting light installation at dusk and in the evening.









Just one press of the diverter button on the shower head is all it takes to switch from a full Neoperl® spray to a fine needle spray.



A touch of a button is all it takes for LEDShine to transform the jet of water from your faucet into a wonderful play of light. The light switches off automatically after 30 minutes.

**Kitchen**

- Lever mixer with LEDShine
- TouchProtect
- Pull-out spray covered
 - SprayClean
 - PowerClean
- SwivelStop – hose guide, swivelling 270°, limitable to 120°
- EasyLock
- OptimalSpace

KWC-No.

- 10.201.122.000FL**
chromeline, A 215, Netz AP
- 10.201.122.127FL**
decor steel, A 215, Netz AP
- 10.201.122.176FL**
matt black, A 215, Netz AP

- Flow rate
normal spray 10 l/min (3 bar)
- Flow rate
needle spray 10 l/min (3 bar)

**Kitchen**

- Lever mixer with LEDShine
- TouchProtect
- Pull-out spray covered
 - SprayClean
 - PowerClean
- SwivelStop – hose guide, swivelling 270°, limitable to 120°
- EasyLock
- OptimalSpace

KWC-No.

- 10.201.122.150FL**
glacier white, A 215, Netz AP

- Flow rate
normal spray 8 l/min (3 bar)
- Flow rate
needle spray 9 l/min (3 bar)

**Kitchen**

- Lever mixer
- TouchProtect
- Pull-out spray covered
 - SprayClean
 - PowerClean
- SwivelStop – hose guide, swivelling 270°, limitable to 120°
- EasyLock
- OptimalSpace

KWC-No.

- 10.201.102.000FL**
chromeline, A 215
- 10.201.102.127FL**
decor steel, A 215
- 10.201.102.176FL**
matt black, A 215

- Flow rate
normal spray 10 l/min (3 bar)
- Flow rate
needle spray 10 l/min (3 bar)

**Kitchen**

- Lever mixer
- TouchProtect
- Pull-out spray covered
 - SprayClean
 - PowerClean
- SwivelStop – hose guide, swivelling 270°, limitable to 120°
- EasyLock
- OptimalSpace

KWC-No.

- 10.201.102.150FL**
glacier white, A 215

- Flow rate
normal spray 10 l/min (3 bar)
- Flow rate
needle spray 10 l/min (3 bar)

**Kitchen**

Lever mixer trim kit
 – Fixed spout
 – OptimalSpace

KWC-No.

11.202.033.000

chromeline, A 175

11.202.034.000

chromeline, A 225

Flow rate 7.5 l/min (3 bar)

**Soap dispenser****KWC-No.**

Z.536.586.000

chromeline

Z.536.586.127

decor steel

Z.536.586.176

matt black

**Soap dispenser****KWC-No.**

Z.536.586.150

glacier white

KWC ZOE touch light PRO

Iconic from every angle

A touch of a button is all it takes for LEDShine to transform the jet of water from your faucet into a wonderful play of light. The light switches off automatically after 30 minutes.



Stunning style meets smart technology, while aesthetic appeal is combined with functionality. With every turn, this faucet is transformed into a work of sculptural art. Every time you use it, it adapts even more to your personal needs. And every individual adjustment helps to save more energy and water.





Touch and refresh – 1 × tap
Cold water = blue. For drinking a quick glass of water, washing fruit or preparing salad.



Touch and clean – 2 × tap
Warm water = orange. For quickly washing your hands, rinsing off a plate or filling small pans.



Touch and prepare – 3 × tap
Hot water = red. For filling pasta pans and kettles or washing up roasting tins and baking trays.





Kitchen

with LEDShine, touch light PRO
 IntelligentControl
 – TouchProtect
 – Pull-out spray covered
 – SprayClean
 – PowerClean
 – SwivelStop – hose guide, swivelling 270°, limitable to 120°
 – EasyLock
 – OptimalSpace

KWC-No.

10.201.242.000FL, chromeline, A 215, mains receiver

Flow rate
 normal spray 9 l/min (3 bar)
 Flow rate
 needle spray 10 l/min (3 bar)



Kitchen

with LEDShine, touch light PRO
 IntelligentControl
 – TouchProtect
 – Pull-out spray covered
 – SprayClean
 – PowerClean
 – SwivelStop – hose guide, swivelling 270°, limitable to 120°
 – EasyLock
 – OptimalSpace

KWC-No.

10.201.242.127FL
 decor steel, A 215, mains receiver

Flow rate
 normal spray 9 l/min (3 bar)
 Flow rate
 needle spray 10 l/min (3 bar)



Kitchen

with LEDShine, touch light PRO
 IntelligentControl
 – TouchProtect
 – Pull-out spray covered
 – SprayClean
 – PowerClean
 – SwivelStop – hose guide, swivelling 270°, limitable to 120°
 – EasyLock
 – OptimalSpace

KWC-No.

10.201.242.176FL
 matt black, A 215, mains receiver

Flow rate
 normal spray 9 l/min (3 bar)
 Flow rate
 needle spray 10 l/min (3 bar)



Soap dispenser

KWC-No.

Z.536.586.000
 chromeline



Soap dispenser

KWC-No.

Z.536.586.127
 decor steel




Soap dispenser

KWC-No.

Z.536.586.176
 matt black







KWC Soap dispenser

The large soap container, which is concealed under the sink, has a capacity of 350 ml and is easy to fill from the top thanks to sophisticated technology. KWC soap dispensers provide an extra touch of comfort you won't want to do without.

Soap dispenser KWC ERA



KWC-No.
Z.538.038.700
stainless steel

Soap dispenser KWC ONO



KWC-No.
Z.536.060.000
chromeline
Z.536.060.700
stainless steel

Soap dispenser KWC ZOE



KWC-No.
Z.536.586.000
chromeline
Z.536.586.127
decor steel

Soap dispenser KWC ZOE




KWC-No.
Z.536.586.106
matt black

Soap dispenser KWC ZOE



KWC-No.
Z.536.586.150
glacier white

Soap dispenser KWC INOX



KWC-No.
Z.536.062.700
stainless steel

Soap dispenser KWC EVE




KWC-No.
Z.536.063.000
chromeline
Z.536.063.700
stainless steel

Soap dispenser KWC EVE



KWC-No.
Z.536.063.151
black chrom-plated




Soap dispenser KWC EVE

KWC-No.
Z.536.063.150
glacier white



Soap dispenser KWC SIN

KWC-No.
Z.536.332.000
chromeline



Soap dispenser KWC AVA ●●●

KWC-No.
Z.536.159.000
chromeline
Z.536.159.127
decor steel
Z.536.159.176
matt black



Soap dispenser KWC PRIMO

KWC-No.
Z.536.109.000
chromeline



Soap dispenser KWC BASIC

KWC-No.
Z.538.409.000
chromeline



Soap dispenser KWC BASIC

KWC-No.
Z.538.409.177
brushed steel



Soap dispenser KWC BASIC

KWC-No.
Z.538.409.176
matt black

Technical Information

The kitchen faucet applications shown in this brochure are examples only. The technology and design may be subject to change during further product development. The suitability of the faucets for the property concerned must be checked on a case-by-case basis. Planning and technical implementation is subject exclusively to the specifications and assembly and service instructions provided by KWC Group AG

Relevant information can be ordered from KWC or found at www.kwc.com.

Differences in colour on different parts of a stainless steel faucet cannot be excluded. This may be caused by various factors:

1. Slight differences in material composition may cause the stainless steel to take on a different tone (more yellow or blue in colour).
2. Different cooling or production treatment parameters may also cause colour differentiation.
3. Different surface consistencies caused by the production process (grinding, turning) may result in differences in light refraction.

In a conscious effort to make both the material and the production process clearly visible, no surface coatings are used on KWC stainless steel faucets. By keeping production tolerances at a low level, KWC tries to keep colour differentiation to a minimum.





The ultimate
choice