



**KWC**

KWC  
**FIT**




## BEAUTY WITHOUT FRILLS

You reach perfection when there's nothing else to leave out. KWC FIT – a faucet pared down to the essentials. Ingenious functionality, top-quality workmanship, refined details, a pleasant feel and an attractive price – not to mention the aesthetics that visually emphasize the art of simplicity.



Without any superfluous details, the essentials really come into their own – in terms of both appearance and experience. Take the gentle lever movement, which makes this faucet remarkably smooth to use.

## KWC +




### HealthProtect

Better hygiene and unchanged water quality: HealthProtect highlights the strict standards we set ourselves to ensure that our faucets do not affect the taste and smell of your water – that is why we use high-quality materials (metals, plastics) that are ideally suited for contact with water.




### GlacierFinish

Robust surfaces and high-quality craftsmanship: GlacierFinish is equipped with durable surfaces that are exceptionally robust and feature an attractive polished shine that you can enjoy for years to come.




### EcoProtect

For economical water consumption and responsible use of resources: EcoProtect represents our commitment to promoting a sustainable lifestyle.



### CoolFix

Intelligent and efficient resource usage: With CoolFix, when the lever is in the center – the most common position – the water runs cold. Only when the lever is turned to the left, the water runs warm.



### OptimalSpace

Practical yet elegant ergonomic design: OptimalSpace features long, tall spouts that provide ample space for washing and or working.



**Basin**

Lever mixer

- EcoProtect - water-saving device
- Fixed spout
  - Neoperl® Perlator®
- Flow rate and temperature continuously variable
- Temperature limitation

**12.548.041.000FL** all chrome A 100  
with pop-up valve


**12.548.051.000FL** all chrome A 100  
without pop-up valve

**Basin**

Lever mixer

- CoolFix - Cold water flow with a centered lever
- EcoProtect - water-saving device
- Fixed spout
  - Neoperl® Perlator®
- Flow rate and temperature continuously variable
- Temperature limitation

**12.548.031.000FL** all chrome A 100  
with pop-up valve


**Basin**

Lever mixer

- EcoProtect - water-saving device
- Fixed spout
  - Neoperl® Perlator®
- OptimalSpace - ample space for washing or working
- Flow rate and temperature continuously variable
- Temperature limitation

**12.548.042.000FL** all chrome A 140  
with pop-up valve

**12.548.052.000FL** all chrome A 140  
without pop-up valve

**Basin**

Lever mixer

- CoolFix - Cold water flow with a centered lever
- EcoProtect - water-saving device
- Fixed spout
  - Neoperl® Perlator®
- OptimalSpace - ample space for washing or working
- Flow rate and temperature continuously variable
- Temperature limitation

**12.548.032.000FL** all chrome A 140  
with pop-up valve


**12.548.072.000FL** all chrome A 140  
without pop-up valve

**Bidet**

Lever mixer

- Fixed spout
  - ball joint aerator Neoperl® Perlator®
- Flow rate and temperature continuously variable
- Temperature limitation

**13.541.041.000FL** all chrome A 130  
with pop-up valve


**Tub**

Lever mixer

- Diverter with automatic reset
- Intrinsically safe against backflow
- Fixed spout
  - Neoperl® Perlator®
- Flow rate and temperature continuously variable
- Wall connections 1/2" x 3/4", without shut-off valve eccentric 10 mm

**20.542.332.000**

all chrome AD 150 +/- 20 mm, A 145  
without hand shower, hose and bracket


**Shower**

Lever mixer

- Intrinsically safe against backflow
- Flow rate and temperature continuously variable
- Wall connections 1/2" x 3/4", without shut-off valve eccentric 10 mm

**21.542.330.000**

all chrome AD 150 +/- 20 mm  
without hand shower and hose

**Tub**

Trim kit with function unit

- Outflow top and below
- Turning handle for diverter
- Flow rate and temperature continuously variable
- Scope of delivery:
  - Function unit, lever, cap, sleeve, cover plate, holder for escutcheon, diverter
  - Fastening of the cover plate without screws
- To be ordered separately:
  - Unit for concealed installation KWC BLUEBOX®
  - 1/2", without shut-off valve, 39.999.900.931
  - 3/4" (1/2"), with shut-off valve, 39.999.910.931
  - 3/4", with shut-off valve, 39.999.930.931


**20.544.502.000** all chrome

**20.544.512.000** all chrome  
with vacuum breaker

**Shower**

Trim kit with function unit

- Outflow top or below
- Flow rate and temperature continuously variable
- Scope of delivery:
  - Function unit, lever, cap, sleeve, cover plate, holder for escutcheon
  - Fastening of the cover plate without screws
- To be ordered separately:
  - Unit for concealed installation KWC BLUEBOX®
  - 1/2", without shut-off valve, 39.999.900.931
  - 3/4" (1/2"), with shut-off valve, 39.999.910.931
  - 3/4", with shut-off valve, 39.999.930.931

**21.544.502.000** all chrome**Bathtub spout design**

- Fixed spout
- Connecting thread 1/2"

**26.008.043.000** all chrome A 200

