


KWC HEAVY-DUTY  
WC washbasin combination

Modell-Linie: HEAVYDUTY | HDTX806M  
Heavy Duty | Prison units



KWC-No.

2000100956

Version with WC pan angled 45° to the left

2000100957

Version with centrally arranged WC pan Dimensions 390 x 1000 x 780 mm (W x H x D)

2000100958

Version with WC pan angled 45° to the right Dimensions 700 x 1000 x 670 mm (W x H x D)

WC position

left

middle

right

Chromium nickel steel WC wash basin combination, satin finish surface for installing outside a utility room accessible from the back with remotely controlled tap components for fitting in the utility room, fixing from the back with threaded pins. Mounting stand, material thickness 2 mm with elevated rear wall including wall outlet and piezo button with start/stop function with seamless welded WC paper compartment and seamless moulded wash basin with trap, outlet DN 40. WC pan, material thickness 1.6 mm with full-length skirting, arranged in the middle 90 degrees, bowl rim where nothing

can hide with piezo button for WC flushing, flushing certified pursuant to EN 997, horizontal outlet at the back DIN 100. With solenoid to connect to premixed hot water or cold water. Condensation water-proof concealed cistern with single flush technology (9 or 6 litres) Supply voltage 24 V DC Including fixing material.

Overall dimensions 390 x 1000 x 780 mm (W x H x D)

Technical Data

body width

390 mm

front access panel

yes

floor fixing joggle plate

no

inlet size

DN 15

material

stainless steel

material code

1.4301 Chrome Nickel steel V2A

material thickness body

2 mm

material thickness WC

1.5 mm

outlet size

DN 50 / DN 100

overall depth

775 mm

overall height

1,000 mm

overall width

390 mm

overflow

no

pipework material

stainless steel

self closing push buttons

electronical

toilet roll holder diameter

153 mm

shroud design

round shape

soap dish

no

spout length

83 mm





KWC HEAVY-DUTY  
WC washbasin combination

Modell-Linie: HEAVYDUTY | HDTX806M  
Heavy Duty | Prison units

surface finish	satin finished
tap with integrated bubbler	no
type of flushing fitting	WC flush valve
type of mounting	bolt mounting
type of toilet seat	No seat
type of WC	floor standing
upper edge of basin height	850 mm
upstand depth	20 mm
upstand height	150 mm
WC height	400 mm
WC position	middle

Mandatory Accessories



ECC2 function controller

2000108123  
ZA3OP0011



ECC2 function controller

2030016282  
ZA3OP0022




Power supply unit

2000100375  
ZAQUA007



Power supply unit

2000102691  
ZAQUA094



System cable

2000100801  
ZAQUA077



System cable

2000100852  
ZAQUA078



System cable

2000104272  
ZAQUA011



System cable

2000104274  
ZAQUA012

Spare Parts



**KWC** HEAVY-DUTY  
WC washbasin combination

Modell-Linie: **HEAVYDUTY** | HDTX806M  
Heavy Duty | Prison units




Wall outlet, DN 15

**2000107291**  
ZTAPS0004



Electrical T junction

**2000100853**  
ZAQUA075



Solenoid valve

**2000101328**  
ZAQUA032



Stainless steel care set

**2000109019**  
ZWSPLO024



Cleaning product **CHROMOL**

**2000105091**  
ZWSPLO023