


## **KWC** F5S-Mix Self-closing pillar mixer

## Modell-Linie: F5S | F5SM1001

Taps | Self closing taps





#### KWC-No.

2030036163	
2030039396	

with flow regulator 3.0 l/min

F5S-Mix self-closing pillar mixer DN 15 as single-mixer tap for sanitary facilities. FRAMIC self-closing mixing cartridge, hydraulically controlled, low-maintenance and stagnation-free, with ceramic disc technology, self-closing, flow pressure-independent due to medium-separated design. Stepless adjustment of flow

## volume flow rate at 3 bar

#### 0.08 l/s

0.05 l/s

duration. With adjustable, tum-proof temperature stop. For connection to hot water and cold water via hoses with integrated backflow preventer and strainers. All-metal construction, highpolished chromium-plated brass. Anti-theft aerator, SLIM design, with integrated flow regulator 5.0 l/min.

#### Technical Data

with backflow preventer	Yes	
calculation flow rate cold wat	0.07 l/s	
calculation flow rate hot wate	0.07 Vs	
compatible A3000 open	No	
depressurised	No	
with filter	Yes	
adjustable flow time	Yes	
functional principle	hydraulic self-closing	
hygiene flushing	No	
diameter nominal	DN 15	
inlet size	G 3/8	
Locking mechanism	Top section, ceramic	
material fitting	brass-look	
maximum flow time	35 Seconds	
minimum flow pressure	0.5 bar	
minimum flow time	5 Seconds	
type of mixing	Yes	
Pop-up waste set	No	
with rosettes/cover plate	No	
protective shutdown	No	
sound insulation	No	
Spout	fixed	
spout projection	125 mm	
surface finish fitting	chromed	

## 




## KWC F5S-Mix Self-closing pillar mixer

# **Modell-Linie: F5S | F5SM1001** Taps | Self closing taps

surface treatment fitting	polished	
temperature limit	Yes	
thermal disinfection	No	
type of mounting	tap hole	
type of operation	manual operation	
type of tap	pillartap	
volume flow rate at 3 bar	0.08 l/s	
water connection	hose (gland nut)	
Accent colour	none	
Basic colour	chrome-look (glossy)	

## **Optional Accessories**









Socket for increasing the tap body by 140 mm

**2030041519** ACSX1001

2030035383	
2030035565	
ACXX1001	
110/011001	

Anti-twist protection for F5S

0			 	
	20	-		

5.0 l/min aerator, angle-adjustable

**2030041326** ACXX1002

3.0 l/min. aerator

**2030041424** ASXX1008



Aerator 1.8 l/min

**2030041442** ACXX1005

**Spare Parts** 



KWC F5S-Mix Self-closing pillar mixer

**Modell-Linie: F5S | F5SM1001** Taps | Self closing taps









Hose

**2030041320** ASXM1001





Aerator 5.0 I/min

**2030041011** ASXX1004

FRAMIC Self-closing mixing cartridge

**2030046146** ASSM1001



Mounting key

**2030041329** ACXX1003

2030043596 ASEX1013

Quick-action fastener