


## KWC

### F5S-Mix self-closing wall-mounted mixer

Modell-Linie: F5S | F5SM2002

Showers | Self closing showers



#### KWC-No.

**2030032998**

**2030036685**

with automatic shower pipe draining

#### shower pipe draining

No

Yes

F5S-Mix self-closing wall-mounted mixer DN 15 as single-mixer for wall mounting, for shower facilities. FRAMIC self-closing mixing cartridge, hydraulically controlled, low-maintenance and stagnation-free, with ceramic disc technology, self-closing, flow pressure-independent due to medium-separated design. Stepless adjustment of flow duration. With adjustable, turn-proof temperature stop. Connects to hot and cold water. Housing with

outlet on top, G 3/4 B, for installation of bent outlet or surface-mounted shower pipe. All-metal construction, high-polished chromium-plated brass. With adjustable and turn-proof connections with backflow preventer and strainers, completely covered with depth-adjustable screw rosettes. Version with automatic shower pipe draining.

#### Technical Data

additional connections

No

with backflow preventer

Yes

calculation flow rate cold wat

0.15 l/s

calculation flow rate hot water

0.15 l/s

circulation

No

compatible A3000 open

No

connection with pay water disp

not possible

with filter

Yes

adjustable flow time

Yes

functional principle

hydraulic self-closing

for hand shower

No

hygiene flushing

No

diameter nominal

DN 15

inlet size

G 1/2 B

Locking mechanism

Top section, ceramic

material fitting

brass-look

maximum flow time

35 Seconds

minimum flow pressure

0.5 bar

minimum flow time

5 Seconds

type of mixing

Yes

with rosettes/cover plate

Yes

protective shutdown

No



## KWC

### F5S-Mix self-closing wall-mounted mixer

Modell-Linie: F5S | F5SM2002  
Showers | Self closing showers

shower pipe draining	Yes
sound insulation	No
surface finish fitting	chromed
surface treatment fitting	polished
temperature limit	Yes
thermal disinfection	No
type of mounting	wall mounting
type of operation	manual operation
type of shower	wall fitting
volume flow rate at 3 bar	0.3 l/s
water connection	S-unions
position of water connection	from backside
Accent colour	none
Basic colour	chrome-look (glossy)

### Optional Accessories



#### Bent outlet

**2030050434**  
ACXX2005



#### Bent outlet

**2030050435**  
ACXX2006



#### Shower pipe

**2030041522**  
ACSX2002



#### AQUAJET-Comfort shower head

**2030021283**  
SHAC0008



#### AQUAJET-Slimline shower head

**2000103757**  
AQUA757

### Spare Parts

## KWC

### F5S-Mix self-closing wall-mounted mixer

Modell-Linie: F5S | F5SM2002  
Showers | Self closing showers



**Screw rosette**

**2030046777**  
ASSX9003



**Mounting set**

**2030003401**  
EAQLT0009



**Plug chromed**

**2030053006**  
ASSX9004



**Handle push cap**

**2030050753**  
ASSM9004



**Guide ring**

**2030048356**  
ASSX9002



**Temperature stop**

**2030046189**  
ASSM9002



**Safety ring**

**2030048357**  
ASSX9003



**FRAMIC self-closing mixing cartridge**

**2030046185**  
ASSM9001