


## KWC

### F5S-Mix self-closing wall-mounted mixer with hand shower connection

Modell-Linie: F5S | F5SM2003  
Showers | Self closing showers



#### KWC-No.

**2030036686**

F5S-Mix self-closing wall-mounted mixer DN 15 as single-mixer for wall mounting, for shower facilities. FRAMIC self-closing mixing cartridge, hydraulically controlled, low-maintenance and stagnation-free, with ceramic disc technology, self-closing, flow pressure-independent due to medium-separated design. Stepless adjustment of flow duration. With adjustable, turn-proof

temperature stop. Connects to hot and cold water. Housing with hand shower connection G 1/2 B. All-metal version, high-polished chromium-plated brass. With adjustable and turn-proof connections with backflow preventer and strainers, completely covered with depth-adjustable screw rosettes.

#### Technical Data

|                                |                        |
|--------------------------------|------------------------|
| additional connections         | No                     |
| with backflow preventer        | Yes                    |
| calculation flow rate cold wat | 0.15 l/s               |
| calculation flow rate hot wate | 0.15 l/s               |
| circulation                    | No                     |
| compatible A3000 open          | No                     |
| connection with pay water disp | not possible           |
| with filter                    | Yes                    |
| adjustable flow time           | Yes                    |
| functional principle           | hydraulic self-closing |
| for hand shower                | Yes                    |
| hygiene flushing               | No                     |
| diameter nominal               | DN 15                  |
| inlet size                     | G 1/2 B                |
| Locking mechanism              | Top section, ceramic   |
| material fitting               | brass-look             |
| maximum flow time              | 35 Seconds             |
| minimum flow pressure          | 0.5 bar                |
| minimum flow time              | 5 Seconds              |
| type of mixing                 | Yes                    |
| with rosettes/cover plate      | Yes                    |
| protective shutdown            | No                     |
| shower pipe draining           | No                     |
| sound insulation               | No                     |
| surface finish fitting         | chromed                |



## KWC

F5S-Mix self-closing wall-mounted mixer with hand shower connection

Modell-Linie: F5S | F5SM2003  
Showers | Self closing showers

|                              |                      |
|------------------------------|----------------------|
| surface treatment fitting    | polished             |
| temperature limit            | Yes                  |
| thermal disinfection         | No                   |
| type of mounting             | wall mounting        |
| type of operation            | manual operation     |
| type of shower               | wall fitting         |
| volume flow rate at 3 bar    | 0.2 l/s              |
| water connection             | S-unions             |
| position of water connection | from backside        |
| Accent colour                | none                 |
| Basic colour                 | chrome-look (glossy) |

### Optional Accessories



#### Hand shower

**2030051216**  
ACXX2007

#### Shower bracket

**2030051217**  
ACXX2008

### Spare Parts



#### Screw rosette

**2030046777**  
ASXX9003

#### Mounting set

**2030003401**  
EAQLT0009

#### Plug chromed

**2030053006**  
ASSX9004

#### Handle push cap

**2030050753**  
ASSM9004

## KWC

F5S-Mix self-closing wall-mounted mixer with hand shower connection

Modell-Linie: F5S | F5SM2003

Showers | Self closing showers



**Guide ring**

**2030048356**  
ASSX9002



**Temperature stop**

**2030046189**  
ASSM9002



**Safety ring**

**2030048357**  
ASSX9003



**FRAMIC self-closing mixing cartridge**

**2030046185**  
ASSM9001