


## KWC F5S-Mix Self-closing pillar mixer

Modell-Linie: F5S | F5SM1006  
Taps | Self closing taps



### KWC-No.

2030036163

2030039396

with flow regulator 3.0 l/min

### volume flow rate at 3 bar

0.08 l/s

0.05 l/s

F5S-Mix self-closing pillar mixer DN 15 as single-mixer tap for sanitary facilities. FRAMIC self-closing mixing cartridge, hydraulically controlled, low-maintenance and stagnation-free, with ceramic disc technology, self-closing, flow pressure-independent due to medium-separated design. Stepless adjustment of flow

duration. With adjustable, turn-proof temperature stop. For connection to hot water and cold water via hoses with integrated backflow preventer and strainers. All-metal construction, high-polished chromium-plated brass. Aerator with integrated flow regulator 3.0 l/min.

### Technical Data

with backflow preventer

Yes

calculation flow rate cold wat

0.07 l/s

calculation flow rate hot water

0.07 l/s

compatible A3000 open

No

depressurised

No

with filter

Yes

adjustable flow time

Yes

functional principle

hydraulic self-closing

hygiene flushing

No

diameter nominal

DN 15

inlet size

G 3/8

Locking mechanism

Top section, ceramic

material fitting

brass-look

maximum flow time

35 Seconds

minimum flow pressure

0.5 bar

minimum flow time

5 Seconds

type of mixing

Yes

Pop-up waste set

No

with rosettes/cover plate

No

protective shutdown

No

sound insulation

No

Spout

fixed

spout projection

125 mm

surface finish fitting

chromed



## KWC F5S-Mix Self-closing pillar mixer

Modell-Linie: F5S | F5SM1006  
Taps | Self closing taps


surface treatment fitting	polished
temperature limit	Yes
thermal disinfection	No
type of mounting	tap hole
type of operation	manual operation
type of tap	pillar tap
volume flow rate at 3 bar	0.05 l/s
water connection	hose (gland nut)
Accent colour	none
Basic colour	chrome-look (glossy)

### Optional Accessories



**Socket for increasing the tap body by 140 mm**

**2030041519**  
ACSX1001




**Anti-twist protection for F5S**

**2030035383**  
ACXX1001



**5.0 l/min aerator, angle-adjustable**

**2030041326**  
ACXX1002



**Aerator 1.8 l/min**

**2030041442**  
ACXX1005



**Theft-proof housing for aerator**

**2000104778**  
ZTAPS0005



**PURETHERM under-table thermostat**

**2030012758**  
PURE0031

### Spare Parts

## KWC F5S-Mix Self-closing pillar mixer

Modell-Linie: F5S | F5SM1006  
Taps | Self closing taps



**Plug chromed**

**2030053006**  
ASSX9004



**Handle push cap**

**2030048384**  
ASSM1003



**Temperature stop**

**2030046188**  
ASSM1002




**Safety ring**

**2030048357**  
ASSX9003



**FRAMIC Self-closing mixing cartridge**

**2030046146**  
ASSM1001



**Quick-action fastener**

**2030043596**  
ASEX1013



**Hose**

**2030041320**  
ASXM1001



**3.0 l/min. aerator**

**2030041424**  
ASXX1008