


KWC F3E electronic bib tap with battery operation

Modell-Linie: F3E | F3EV1022
Taps | Electronic taps



KWC-No.

2030036177

2030040224

with flow regulator 3.0 l/min

F3E bib tap DN 15 for wall mounting for sanitary facilities, optoelectronically controlled. For connection to pre-mixed hot or cold water. Control electronics, solenoid valve cartridge, 6 V lithium battery (CR-P2) and sensor in all-metal housing, high-polished chromium-plated brass. Aerator with integrated flow regulator 3.0

l/min. Activated water hygiene flushing 24 hours after last activation, safety switch-off with continuous reflection and saving of statistical data. With option for parameterization and communication via optional, bidirectional remote control.

Technical Data

with backflow preventer	no
calculation flow rate cold wat	0.1 l/s
compatible A3000 open	no
default automatic hygiene flus	24h after the last activity
depressurised	no
with filter	yes
functional principle	electronic self-closing
hygiene flushing	yes
diameter nominal	DN 15
Locking mechanism	Top section, non-ceramic
material fitting	brass
minimum flow pressure	1 bar
type of mixing	no
number of batteries	1
Parameterization	remote control
Pop-up waste set	no
power supply connection	Battery 6 V
power consumption	1.5 Voltampere
Type of power supply	Battery
protective system IP	IP59K
with rosettes/cover plate	no
protective shutdown	yes
sound insulation	no
Spout	fixed



KWC

F3E electronic bib tap with battery operation

Modell-Linie: F3E | F3EV1022

Taps | Electronic taps

spout projection	130 mm
surface finish fitting	chromed
surface treatment fitting	polished
temperature limit	no
thermal disinfection	automatic thermal disinfection
with transformer/power supply	no
type of batteries	CR-P2 Lithium battery 6V
type of mounting	wall mounting
type of operation	sensor operation
type of sensor	opto-electronic sensor
type of tap	bib tap
volume flow rate at 3 bar	0.05 l/s
water connection	threaded connection (external)
Accent colour	none
Basic colour	chrome-look (glossy)

Optional Accessories



Bidirectional remote control for electronic fittings F3 and F5

2030036654
ACEX9005



2-button remote control for fittings F3 and F5

2030036849
ACEX9004



Extension adapter for F3E bib tap

2030043823
ACEV1001



Theft-proof housing for aerator

2000104778
ZTAPS0005



Aerator 6.0 l/min

2000104691
ASXX1015

KWC

F3E electronic bib tap with battery operation

Modell-Linie: F3E | F3EV1022

Taps | Electronic taps

Spare Parts



Cover cap

2030049344
ASEV1004




Lithium battery 6 V

2000104846
EPRTR0008



Solenoid valve cartridge

2030045522
ACXX9002




Sensor, ID 01/00001

2030041447
ASEX1001



3.0 l/min. aerator

2030041424
ASXX1008



Spare part set

2030042426
ASEX1011



O-ring, red

2030042439
ASEV1002



O-ring, blue

2030042440
ASEV1002