



KWC

F5S Mix stainless steel shower panel

Modell-Linie: F5S | F5SM2020

Showers | Self closing showers





KWC-No.

2030054248	No	
2030056581 with automatic shower pipe draining	Yes	

F5S Mix shower panel made of stainless steel for wall mounting with DN 15 self-closing single control mixer and connecting nozzles for the shower head. FRAMIC self-closing mixing cartridge, for the shower head. FHAMIL self-closing mixing cartridge, hydraulically controlled, low maintenance and stagnation free, with ceramic disc technology, self-closing, flow pressure independent due to the medium-independent design. Stepless adjustment of flow duration. With adjustable, tum-proof temperature stop. For connection to hot water and cold water. All-metal construction, visible parts high-polished or chrome-plated. Connecting nozzles for

Technical Data

additional connections	
with backflow preventer	
circulation	
compatible A3000 open	
connection with pay water disp	
with filter	
adjustable flow time	
functional principle	
for hand shower	
hygiene flushing	
diameter nominal	
inlet size	
Locking mechanism	
material casing	
material code casing	
material fitting	
maximum flow time	
minimum flow pressure	
minimum flow time	
type of mixing	
overall depth	

No			
Yes			
No			
No			
not possible			
Yes			
Yes			
hydraulic self-clos	ing		
No			
No			
DN 15			
G 1/2 A			
Top section, ceram	lic		
stainless steel			
1.4301 Chrome Ni	ckel steel V2A		
brass-look			
35 Seconds			
1.5 bar			
5 Seconds			
Yes			



shower pipe draining

the required additional DN 15 KWC shower head with pre-fitted flow regulator 9.0 l/min. Housing made of stainless steel with raised function surface and plastic cover caps. Connecting hoses with lockable water volume control with backflow preventer and strainer.

Dimensions of housing $235 \times 1160 \times 90$ mm (W x H x D)

Shower head to be ordered separately.

кwс

F5S Mix stainless steel shower panel

Modell-Linie: F5S | F5SM2020 Showers | Self closing showers

overall height	1,160 mm	
overall width	235 mm	
with rosettes/cover plate	Yes	
protective shutdown	No	
shower pipe draining	No	
Shower head	for separately shower head	
with shower set	No	
sound insulation	No	
surface finish casing	satin finished	
surface finish fitting	chromed	
surface treatment fitting	polished	
temperature limit	Yes	
thermal disinfection	No	
type of mounting	wall mounting	
type of operation	manual operation	
type of shower	shower panel	
volume flow rate at 3 bar	0.15 l/s	
water connection	hose (gland nut)	
position of water connection	from top / backside	
with soap dish	No	
Accent colour	chrome-look (glossy)	
Basic colour	stainless steel-look	

Mandatory Accessories







AQUAJET-Slimline shower head for KWC shower panels and systems

2030054255 SHAS0011

AQUAJET-Comfort shower head for KWC shower panels and systems

2030054254 SHAC0011

MÜNCHEN shower head for KWC shower panels and systems

2030054793 SHMU0011

Optional Accessories




KWC

F5S Mix stainless steel shower panel

Modell-Linie: F5S | F5SM2020 Showers | Self closing showers







Flow controller 6.0 l/min

2030027586 ESHHE0004

Flow controller 12.0 l/min 2000104783

ESHHE0002

Housing extension for F5 shower panels made of stainless steel

2030057066 ACXX2011




Housing extension for F5 shower panels made of stainless steel 2030057067 ACXX2012



Housing extension for F5 shower panels made of stainless steel

2030057068 ACXX2013



Connection set for shower panel

2000104916 ZSHOW0006



Housing extension for F5 shower panels made of stainless steel

2030057069 ACXX2014



Connection adapter

2000101441 AQRM928

Housing extension for F5 shower panels made of stainless steel

2030057070 ACXX2015

Shower gel dish for F5 shower panels made of stainless steel

2030057077 ACXX2021



кwс

F5S Mix stainless steel shower panel

Modell-Linie: F5S | F5SM2020 Showers | Self closing showers



Plug chromed

2030053006 ASSX9004

Rosette

2030045510 ASXM2003



Handle push cap



FRAMIC self-closing mixing cartridge

2030046185 ASSM9001



Temperature stop

2030046189 ASSM9002



Flow controller 9,0 l/min

2000104782 ESHHE0001



Safety ring

2030048357 ASSX9003



Stainless steel care set

2000109019 ZWSPL0024



Cleaning product CHROMOL

2000105091 ZWSPL0023