


Stainless steel shower panel with hand shower fitting

Modell-Linie: F5S | F5ST2023

Showers | Self closing showers





KWC-No.

2030056542

F5S Therm shower panel made of stainless steel for wall mounting with DN 15 self-closing thermostatic mixer and a hand shower fitting. Hydraulically controlled, for connection to hot water and cold water. Shower valve with integrated FRAMIC self-closing cartridge, thermostat and mechanism for an optional water hygiene unit for automatic water hygiene flushing, program-controlled thermal disinfection (additional bypass solenoid-operated flush valve cartridge required) and storage of statistical data. FRAMIC self-closing cartridge, low maintenance and stagnation free, with ceramic disc technology, self-closing, flow pressure independent due to the medium-independent design. Stepless adjustment of

flow duration. Thermostat with metal handle, an adjustable and turn-proof temperature stop and an option for manual thermal disinfection. All-metal construction, visible parts high-polished or chrome-plated. Pre-fitted chrome-plated brass shower pole with height-adjustable hand shower holder and chrome-plated plastic hand shower, shower head with rain jet, diameter 110 mm, shower hose 900 mm. Housing made of stainless steel with raised function surface and plastic cover caps. Connecting hoses with lockable water volume control with backflow preventer and strainer.

Dimensions of housing 235 x 1160 x 90 mm (W x H x D)

Technical Data

additional connections	
with backflow preventer	
circulation	
compatible A3000 open	
connection with pay water disp	
with filter	
adjustable flow time	
functional principle	
for hand shower	
hygiene flushing	
diameter nominal	
inlet size	
Locking mechanism	
material casing	
material code casing	
material fitting	
maximum flow time	
minimum flow pressure	
minimum flow time	
type of mixing	
overall depth	
overall height	_

no		
yes		
no		
no		
not possible		
yes		
yes		
hydraulic self-closing		
yes		
prepared		
DN 15		
G 1/2 A		
Top section, ceramic		
stainless steel		
1.4301 Chrome Nickel steel V2A		
brass		
35 Seconds		
1 bar		
5 Seconds		
with thermostat		
90 mm		
1,160 mm		







Stainless steel shower panel with hand shower fitting

Modell-Linie: F5S | F5ST2023

Showers | Self closing showers

overall width	235 mm
with rosettes/cover plate	yes
protective shutdown	no
shower pipe draining	no
with shower set	yes
sound insulation	no
surface finish casing	satin finished
surface finish fitting	chromed
surface treatment fitting	polished
temperature limit	yes
thermal disinfection	yes
type of mounting	wall mounting
type of operation	manual operation
type of shower	shower panel
water connection	hose (gland nut)
position of water connection	from top / backside
with soap dish	no
Accent colour	chrome-look (glossy)
Basic colour	stainless steel

Optional Accessories









Hygiene unit for F5S Therm shower panel

2030057064

Housing extension for F5 shower panels made of stainless steel

2030057066 ACXX2011 Housing extension for F5 shower panels made of stainless steel

2030057067

Housing extension for F5 shower panels made of stainless steel

2030057068









Housing extension for F5 shower

Housing extension for F5 shower

Shower gel dish for F5 shower panels

Connection set for shower panel



Stainless steel shower panel with hand shower fitting

Modell-Linie: F5S | F5ST2023 Showers | Self closing showers

panels made of stainless steel

2030057069 ACXX2014

panels made of stainless steel

2030057070 ACXX2015

made of stainless steel

2030057077

2000104916 ZSHOW0006



Connection adapter

2000101441 AQRM928

Spare Parts



Hand shower

2030051216 ACXX2007



Plug chromed

2030053006 ASSX9004



2030031443 ESHOW0059



Push cap

2030049943 ASST2001



Temperature handle

2030047082 ASXT9003



Safety ring

2030048357 ASSX9003



Temperature stop

2030003296 EAQLT0003



Rosette

2030048765 ASET2006



Stainless steel shower panel with hand shower fitting

Modell-Linie: F5S | F5ST2023 Showers | Self closing showers







FRAMIC Self-closing cartridge

2030046145 ASSX9001

Stainless steel care set

2000109019 ZWSPL0024

Cleaning product CHROMOL

2000105091 ZWSPL0023