


### KWC

F5S Mix stainless steel shower panel

#### Modell-Linie: F5S | F5SM2014

Showers | Self closing showers





#### KWC-No.

| 2030054248  | no  |  |
|---|-----|--|
| 2030056581<br>with automatic shower pipe draining | yes |  |

F5S Mix shower panel made of stainless steel for wall mounting with DN 15 self-closing single control mixer and connecting nozzles for the shower head. FRAMIC self-closing mixing cartridge, hydraulically controlled, low maintenance and stagnation free, with ceramic disc technology, self-closing, flow pressure independent due to the medium-independent design. Stepless adjustment of flow duration. With adjustable, tum-proof temperature stop. For connection to hot water and cold water. All-metal construction, visible parts high-polished or chrome-plated. Connecting nozzles for the required additional DN 15 KWC shower head with pre-fitted flow reaulator 9.0 l/min. Housing made of stainless steel with rais

flow regulator 9.0 l/min. Housing made of stainless steel with raised function surface and plastic cover caps. Connecting hoses with lockable water volume control with backflow preventer and strainer. Version with automatic shower pipe draining.

Dimensions of housing  $235 \times 1160 \times 90$  mm (W x H x D)

Shower head to be ordered separately.

shower pipe draining

#### Technical Data

| additional connections         |  |
|--------------------------------|--|
| with backflow preventer        |  |
| circulation                    |  |
| compatible A3000 open          |  |
| connection with pay water disp |  |
| with filter                    |  |
| adjustable flow time           |  |
| functional principle           |  |
| for hand shower                |  |
| hygiene flushing               |  |
| diameter nominal               |  |
| inlet size                     |  |
| Locking mechanism              |  |
| material casing                |  |
| material code casing           |  |
| material fitting               |  |
| maximum flow time              |  |
| minimum flow pressure          |  |
| minimum flow time              |  |
| type of mixing                 |  |
| overall depth                  |  |

| no    |                            |
|-------|----------------------------|
| yes   |                            |
| no    |                            |
| no    |                            |
| not p | oossible                   |
| yes   |                            |
| yes   |                            |
| hydr  | aulic self-closing         |
| no    |                            |
| no    |                            |
| DN :  | 15                         |
| G 1/  | 2 A                        |
| Тор   | section, ceramic           |
| stair | nless steel                |
| 1.43  | 01 Chrome Nickel steel V2A |
| bras  | s                          |
| 35 S  | econds                     |
| 1.5 k | bar                        |
| 5 Se  | conds                      |
| yes   |                            |



# кwс

F5S Mix stainless steel shower panel

# Modell-Linie: F5S | F5SM2014 Showers | Self closing showers

| overall height               | 1,160 mm                   |  |
|------------------------------|----------------------------|--|
| overall width                | 235 mm                     |  |
| with rosettes/cover plate    | yes                        |  |
| protective shutdown          | no                         |  |
| shower pipe draining         | yes                        |  |
| Shower head                  | for separately shower head |  |
| with shower set              | no                         |  |
| sound insulation             | no                         |  |
| surface finish fitting       | chromed                    |  |
| surface treatment fitting    | polished                   |  |
| temperature limit            | yes                        |  |
| thermal disinfection         | no                         |  |
| type of mounting             | wall mounting              |  |
| type of operation            | manual operation           |  |
| type of shower               | shower panel               |  |
| volume flow rate at 3 bar    | 0.15 l/s                   |  |
| water connection             | hose (gland nut)           |  |
| position of water connection | from top / backside        |  |
| with soap dish               | no                         |  |
| Accent colour                | chrome-look (glossy)       |  |
| Basic colour                 | stainless steel            |  |

#### **Mandatory Accessories**







AQUAJET-Slimline shower head for KWC shower panels and systems

2030054255 SHAS0011

AQUAJET-Comfort shower head for KWC shower panels and systems

2030054254 SHAC0011

MÜNCHEN shower head for KWC shower panels and systems



**Optional Accessories** 





## KWC

F5S Mix stainless steel shower panel

Modell-Linie: F5S | F5SM2014 Showers | Self closing showers







Housing extension for F5 shower

panels made of stainless steel

2030057067 ACXX2012

Flow controller 6.0 l/min

2030027586 ESHHE0004



ESHHE0002

Flow controller 12.0 l/min

Housing extension for F5 shower panels made of stainless steel

**2030057066** ACXX2011



Housing extension for F5 shower panels made of stainless steel

**2030057068** ACXX2013



**Connection set for shower panel** 

2000104916 ZSHOW0006



Housing extension for F5 shower panels made of stainless steel

**2030057069** ACXX2014



**Connection adapter** 

2000101441 AQRM928

Housing extension for F5 shower panels made of stainless steel

**2030057070** ACXX2015

Shower gel dish for F5 shower panels made of stainless steel

**2030057077** ACXX2021



## кwс

F5S Mix stainless steel shower panel

# Modell-Linie: F5S | F5SM2014 Showers | Self closing showers





Plug chromed

**2030053006** ASSX9004



Handle push cap **2030050753** ASSM9004



FRAMIC self-closing mixing cartridge

2030046185 ASSM9001



Temperature stop

**2030046189** ASSM9002



Flow controller 9,0 l/min

2000104782 ESHHE0001



Safety ring

**2030048357** ASSX9003



Stainless steel care set

**2000109019** ZWSPL0024

Rosette

**2030045510** ASXM2003



Cleaning product CHROMOL

2000105091 ZWSPL0023