


KWC F5LME Hybrid kitchen fitting

Modell-Linie: F5L | F5LME001
Kranar | Manuella kranar



KWC-No.

2030061048

F5LME hybrid kitchen fitting DN 15 as pillar mixer with swivelling spout, can be locked in the centre position. Adjustable swivel ranges of 50°, 120° and 360°. For connection to hot water and cold water via hoses with strainers. Single lever mixer with mixer cartridge with ceramic disc technology and adjustable, turn-proof temperature stop. Alternative activation using hand reflection via an opto-electronic sensor for time-controlled water release with preset mixing water temperature. Mixer cartridge, solenoid valve and sensor with control electronics in all-metal housing, brushed stainless steel. Laminar jet controller with integrated flow rate controller (8.0 l/min). Projection 220 mm. Activated water hygiene


flushing 24 hours after last activation, safety switch-off for continuous reflection and saving of statistical data. With option for parametrisation and communication via optional, bidirectional remote control. Optionally for battery operation with battery compartment including 6 V lithium battery (CR-P2) per fitting for installation under the kitchen sink or for separate power supply via 6.75 V/12 V DC power supply unit or AQUA 3000 open system accessories.

Battery compartment including battery or power supply unit with extension cable must be ordered separately.

Technical Data

Nedtryckt
med filter
Funktionell princip
ATT-WS-HYGIENE-FLUSH
Nominell diameter
ATT-WS-LOCKINGMECHANISM
Material delar
Minimalt flödestryck
Typ av blandning
ATT-WS-POPUWASTESET
ATT-WS-ROSETTES
ATT-WS-SPOUT
yt finish
ATT-WS-TEMPERATURELIMIT
terminal för desinfektion
Typ av montering
Typ av operation
Typ av kran
ATT-WS-VOLFLOWRATE3
ATT-WS-WATCON
Accentfärg

Nej
Ja
Manual
förberädd
DN 15
TOP-NONCERAMIC
Rostfritt stål
1 bar
Ja
Nej
Nej
ROTATING-TOP
Borstad
Ja
Ja
TAPHOLE
Manull operation
PILLAR-TAB
0.13 l/s
HOSE
NONE



KWC F5LME Hybrid kitchen fitting


Modell-Linie: F5L | F5LME001
Kranar | Manuella kranar

Nödvändiga tillbehör




Battery compartment

3600002063
ACEX9023



Power supply unit

2030039477
ACEX9001



Extension cable 5 m

2030043814
ACEX9010



Plug-in power supply unit

2030039823
ACEX9002



Nättaggregat

3600002062
ACEX9022



In-wall power supply

2030039825
ACEX9003

Extratillbehör



Bidirectional remote control for
electronical fittings F3 and F5

2030036654
ACEX9005




2-button remote control for fittings F3
and F5

2030036849
ACEX9004

KWC F5LME Hybrid kitchen fitting

Modell-Linie: F5L | F5LME001
Kranar | Manuella kranar

Reservdelar



Solenoid valve cartridge

2030045522
ACXX9002
