


## KWC F5L-Therm Stainless steel shower panel with hand shower fitting

Modell-Linie: F5L | F5LT2021  
Showers | Manual shower



### KWC-No.

**2030066510**

F5L-Therm stainless-steel shower panel for wall mounting with single-lever thermostat DN 15 and hand shower fitting kit. For connection to hot and cold water. Function block with integrated mixing cartridge and pre-assembled hygiene unit including sensor with control electronics to perform automatic water hygiene flushing, program-controlled thermal disinfection (additional bypass solenoid-operated flush valve cartridge necessary) and storage of statistical data. Thermostatically-controlled mixer cartridge with expansion element and active scald protection as well as adjustable and turn-proof temperature stop, and ceramic disc technology. All-metal construction, visible parts high-polished, chrome-plated. Pre-fitted chrome-plated brass shower rail with height-adjustable hand shower holder and chrome-plated brass hand shower, shower head with rain jet, diameter 110 mm, shower


hose 900 mm. Housing made of stainless steel with raised function surface and cover caps made of plastic. With adjustable and lockable connections with backflow preventer and strainers. Activated hygiene flushing, fixed interval of 24 hours. With option for parameterization and communication via optional, bidirectional remote control. Optional hygiene unit for battery operation with 6 V lithium battery (CR-P2) per fitting or separate power supply via plug-in power supply unit 6.75 V/12 V DC.

Housing dimensions 235 x 1160 x 90 mm (W x H x D)

Battery compartment including battery or power supply unit with extension cable must be ordered separately.

### Technical Data

additional connections	no
with backflow preventer	yes
circulation	no
compatible A3000 open	no
connection with pay water disp	not possible
default automatic hygiene flus	fixed interval 24 hours
with filter	yes
adjustable flow time	no
functional principle	manual
for hand shower	yes
hygiene flushing	yes
diameter nominal	DN 15
inlet size	G 1/2 A
Locking mechanism	Top section, ceramic
material casing	stainless steel
material code casing	1.4301 Chrome Nickel steel V2A
material fitting	brass-look
minimum flow pressure	1 bar
type of mixing	with thermostat
overall depth	90 mm



## KWC F5L-Therm



Stainless steel shower panel with hand shower fitting

Modell-Linie: F5L | F5LT2021

Showers | Manual shower

overall height	1,160 mm
overall width	235 mm
Parameterization	remote control
power supply connection	6,75 / 12 VDC
position of power connection	from top / backside
Type of power supply	Other
with rosettes/cover plate	yes
protective shutdown	no
shower pipe draining	no
with shower set	yes
sound insulation	no
surface finish casing	satin finished
surface finish fitting	chromed
surface treatment fitting	polished
temperature limit	yes
thermal disinfection	yes
with transformer/power supply	no
type of mounting	wall mounting
type of operation	manual operation
type of sensor	opto-electronic sensor
type of shower	shower panel
volume flow rate at 3 bar	0.15 l/s
water connection	hose (gland nut)
position of water connection	from top / backside
with soap dish	no
Accent colour	chrome-look (glossy)
Basic colour	stainless steel-look

### Mandatory Accessories



#### Battery compartment

**3600002063**  
ACEX9023

#### Power supply unit

**2030039477**  
ACEX9001

#### Extension cable 5 m

**2030043814**  
ACEX9010

### Optional Accessories

## KWC F5L-Therm

Stainless steel shower panel with hand shower fitting

Modell-Linie: F5L | F5LT2021

Showers | Manual shower



**Bidirectional remote control for electronic fittings F3 and F5**

**2030036654**  
ACEX9005




**2-button remote control for fittings F3 and F5**

**2030036849**  
ACEX9004




**Solenoid valve cartridge**

**2030003033**  
EAQFU0001




**Housing extension for F5 shower panels made of stainless steel**

**2030057066**  
ACXX2011




**Housing extension for F5 shower panels made of stainless steel**

**2030057067**  
ACXX2012




**Housing extension for F5 shower panels made of stainless steel**

**2030057068**  
ACXX2013




**Housing extension for F5 shower panels made of stainless steel**

**2030057069**  
ACXX2014



**Housing extension for F5 shower panels made of stainless steel**

**2030057070**  
ACXX2015



**Shower gel dish for F5 shower panels made of stainless steel**

**2030057077**  
ACXX2021

## Spare Parts

## KWC F5L-Therm

Stainless steel shower panel with hand shower fitting


Modell-Linie: F5L | F5LT2021

Showers | Manual shower




Hand shower

**2030051216**  
ACXX2007



Rosette

**2030048765**  
ASET2006



Solenoid valve cartridge

**2030003033**  
EAQFU0001



Stainless steel care set

**2000109019**  
ZWSP0024