


## KWC F5S-Therm self-closing thermostatic in-wall mixer

Modell-Linie: **F5S | F5ST2032**  
Showers | Self closing showers



### KWC-No.

**2030067154**

**2030067163**  
With automatic shower pipe emptying

**2030067158**  
Version without option for automatic water hygiene flushing or thermal disinfection

**2030067167**  
with automatic shower pipe draining

### shower pipe draining

no

yes

no

yes

### thermal disinfection

yes

yes

no

no

F5S-Therm self-closing thermostatic mixer DN 15 as finished installation kit for wall mounting in mounting kit, for shower facilities. Hydraulically controlled, connects to hot water and cold water. Function block with integrated FRAMIC self-closing cartridge, thermostat and mechanism for an optional water hygiene unit for automatic water hygiene flushing, program-controlled thermal disinfection (additional bypass solenoid-operated flush valve cartridge necessary) and storage of statistical data. Additional mechanism for second bypass solenoid valve cartridge for separate rinsing of the cold-water line and separate sampling of

cold or hot water. FRAMIC self-closing cartridge, low maintenance and stagnation free, with ceramic disc technology, self closing, flow pressure independent due to medium-independent design. Continuously adjustable flow duration. Thermostat with metal handle with adjustable and turn-proof temperature stop and option for manual thermal disinfection. All-metal construction, visible parts high-polished, chrome-plated. Holding frame including profile seal, stainless steel cover 190 x 245 mm with covered screw fixing, chrome-plated plastic rosettes, non-return valve and strainers. Depth adjustability 25 mm.

### Technical Data

additional connections

no

with backflow preventer

yes

Built-in fitting model

Finishing section

calculation flow rate cold wat

0.15 l/s

calculation flow rate hot wate

0.15 l/s

circulation

no

compatible A3000 open

no

connection with pay water disp

not possible

Cover plate height

245 mm

Cover plate width

190 mm

with filter

yes

adjustable flow time

yes

functional principle

hydraulic self-closing

for hand shower

no

hygiene flushing

prepared

diameter nominal

DN 15

inlet size

G 3/4 B



## KWC F5S-Therm self-closing thermostatic in-wall mixer

**Modell-Linie: F5S | F5ST2032**  
Showers | Self closing showers

Locking mechanism	Top section, ceramic
material casing	stainless steel
material fitting	brass
maximum flow time	35 Seconds
minimum flow pressure	1 bar
minimum flow time	5 Seconds
type of mixing	with thermostat
with rosettes/cover plate	yes
protective shutdown	no
shower pipe draining	no
sound insulation	no
surface finish casing	satin finished
surface finish fitting	chromed
surface treatment fitting	polished
temperature limit	yes
thermal disinfection	yes
with transformer/power supply	no
type of mounting	in-wall installation with box
type of operation	manual operation
type of shower	in-wall fitting
volume flow rate at 3 bar	0.2 l/s
water connection	threaded connection (external)
position of water connection	from side
Accent colour	chrome-look (glossy)
Basic colour	stainless steel

### Mandatory Accessories




#### R5 System box for in-wall mixer

**2030028990**  
F5BX2001

### Optional Accessories


## KWC F5S-Therm self-closing thermostatic in-wall mixer

Modell-Linie: F5S | F5ST2032  
Showers | Self closing showers




**Extension set**

**2030067889**  
ACXT9001



**Hygiene unit for F5S-Therm**


**2030041523**  
ACST2001



**Set for flushing the cold-water line**

**2030071564**  
ACXT2005

### Spare Parts




**Cover**

**2030003258**  
EAQLT0002



**Temperature handle**

**2030047082**  
ASXT9003



**Temperature stop**

**2030003296**  
EAQLT0003



**Plug chromed**

**2030053006**  
ASSX9004




**Push cap**

**2030049943**  
ASST2001



**Safety ring**

**2030048357**  
ASSX9003



**Rosette**

**2030048765**  
ASET2006




**FRAMIC Self-closing cartridge**

**2030046145**  
ASSX9001

## KWC F5S-Therm self-closing thermostatic in-wall mixer

Modell-Linie: F5S | F5ST2032  
Showers | Self closing showers



**Holding frame**

**2030045472**  
ASXX9004

**Cover plate stainless steel**

**2030050136**  
ASST2003



**Stainless steel care set**

**2000109019**  
ZWSPL0024



**Cleaning product CHROMOL**

**2000105091**  
ZWSPL0023