


KWC F5E

Electronic urinal flush valve for in-wall installation

Modell-Linie: F5E | F5EF3010

Flushing systems | Electronic urinal flushing systems





KWC-No.

2030067743

F5E electronic urinal flush valve for in-wall installation

F5E urinal flush valve DN 15 and installation kit for in-wall installation with basic installation kit, opto-electronically controlled. With self-closing solenoid valve cartridge, holding frame, stainless steel cover plate 120 x 150 mm with covered screw fixing including sensor with control electronics and strainer. Activated water hygiene flushing 24 hours after last activation and saving of statistical data. With option for parametrisation and communication via optional, bidirectional remote control. Option for battery operation with 6 V lithium battery (CR-P2) per fitting or separate power supply via power supply unit 6.75 V/12 V DC or AQUA 3000 open system accessories.

10-40 10--

Battery compartment including battery or power supply unit with extension cable must be ordered separately.

Technical Data

Built-in fitting model	Finishing section
Cover plate height	150 mm
Cover plate width	120 mm
default automatic hygiene flus	24h after the last activity
functional principle	electronic self-closing
hygiene flushing	Yes
diameter nominal	DN 15
material casing	stainless steel
material fitting	brass-look
minimum flow pressure	1 bar
Parameterization	remote control
power supply connection	6,75 / 12 V DC / A3000 open
Type of power supply	Other
surface finish casing	satin finished
with transformer/power supply	No
type of flushing fitting	urinal flush valve
type of mounting	in-wall installation with box
type of operation	sensor operation
type of sensor	opto-electronic sensor



Mandatory Accessories



KWC F5E

Electronic urinal flush valve for in-wall installation

Modell-Linie: F5E | F5EF3010

Flushing systems | Electronic urinal flushing systems





Basic installation kit for in-wall urinal flush valves

2000107414 AQLN0006 valve for in-wall installation for stainless steel urinals 2000110549

AQUAFIX installation frame with flush

AQFX0002

AQUAFIX installation frame with flush valve for in-wall installation for ceramic urinals

Battery compartment

3600002063

ACEX9023

2030020123 AQFX0001



Power supply unit

2030039477 ACEX9001 Extension cable 5 m

2030043814 ACEX9010



2030039825 ACEX9003

Optional Accessories



Bidirectional remote control for electronical fittings F3 and F5

2030036654 ACEX9005



2-button remote control for fittings F3 and F5

2030036849 ACEX9004



Electronic module for F5 urinal flush valve

2030056786 ACEF3001

Spare Parts



KWC F5E

Electronic urinal flush valve for in-wall installation

Modell-Linie: F5E | F5EF3010 Flushing systems | Electronic urinal flushing systems







2030021801 EPRTR0022

Stainless steel care set

2000109019 ZWSPL0024



Cleaning product CHROMOL

2000105091 ZWSPL0023